



Chhattisgarh State Industrial Development Corporation Limited

(A Government of Chhattisgarh Undertaking)

LIC Campus, Pandri Raipur 492 004 (C.G)

Phone 91-771-2583789-90, Fax : 91-771-2583794, 4091879

Website: www.csidc.in, Email : csidc.cg@nic.in, csidc_raipur@yahoo.com

No.	Name of Items	Issue of RC Date	Validity period	No. of RC Holders
1	ISI Marked Chlorine Tablet	15.01.2009	14.01.2010	03
2	Desert Cooler	10.07.2009	09.07.2010	09
3	Hand Pump Spares	29-05-2009	28-05-2010	06
4	PHENYL	06.07.2009	05.07.2010	04
5	Aluminum Cable	18-08-09	17-08-2010	05
6	Cap Cover	29.01.2009	28.01.2010	01
7	Computer System	10.07.2009	09.07.2010	03
8	Laptop	21.07.2009	20.07.2010	03
9	Tarpaulin	17.07.2009	16.07.2010	04
10	Tree Guard	12-06-2009	11-06-2010	04
11	ISI Marked UPVC Pipe for Potable Water Supply Small and Large	13.10.08	12.10.09	09
12	Sanitary Appliances	06.07.2009	05.07.2010	02
13	Bleaching Powder	29.09.2009	28.09.2010	06
14	RCC Boundary & KM Stone & guard stone	03-09-2009	02-09-2010	09
15	ISI Marked LDPE Film	29.09.2009	28.09.2010	03
16	Sodium Hypochlorite	24.09.2009	23.09.2010	03
17	ISI Marked UPVC Casing Pipe	29.09.2009	28.09.2010	05
18	WOODEN FURNITURE	25.08.2009	24.08.2010	67
19	Paints	03-09-2009	02-09-2010	02
20	G.I Bucket	21-07-2009	22-07-2009	05
21	RCC Hume Pipe	16-10-2009	15-10-2010	24
22	Hand Pump	29-01-2010	28-01-2011	02
23	Bicycle (Conforming to IS 10613/2004)	30-01-2010	29-01-2011	07
24	Submersible Pump Sets and S.S. Submersible	22.02.2011	21.02.2011	06
25	Steel Tubes IS: 1239, (Part-I) 2004 (Galvanizing IS: 4736)	23.02.2010	22.02.2011	05



Chhattisgarh State Industrial Development Corporation Limited

(A Government of Chhattisgarh Undertaking)

LIC Campus, Pandri Raipur 492 004 (C.G)

Phone 91-771-2583789-90, Fax : 91-771-2583794, 4091879

Website: www.csidc.in, Email : csidc.cg@nic.in, csidc_raipur@yahoo.com

No./CSIDC/MKD/PS-IV/2009-10/

Raipur, Dated :

Registered A/D

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/AE/1838

Dated : 22.02.2010

To ,

**M/s. ASSOCIATE ENTERPRISES,
Ward No.28, Ganj Line,
Rajnandgaon
Mob.9827174578**

FOR OFFICE USE ONLY

Sub :- Rate Contract for the supply of **ISI MARKED Submersible Pump Valid from 22.02.2010 to 21.02.2011**

Ref :- (I) This Office Tender Enquiry No. MKD/PS-IV/E-110/09-10 .

(II) Bid No. 3131 submitted by you Dated 24.09.2009 and subsequent letter lasting with letter of even no. Nil dated 18.02.2010 and undertaking submitted by you on the same date.

Dear Sir,

You are hereby informed that your above referred tender read with subsequent letters mentioned above for the Stores specified in the Schedules annexed has been accepted. This rate contract will be governed by the terms and conditions brought in CSIDC Form No.1 & 2 . The Rate Contract and the Schedules annexed hereto shall be the sole repository of this Rate Contract / Transaction .

You are required to show the original **INK-SIGNED** subject Rate Contract to the satisfaction of Direct Demanding Officer who will place the supply order as per instructions contained in CSIDC form No. 2 and also to the Quality Assurance Officer for inspection purpose and to the paying authority at the time of getting the payment .

SCHEDULES ANNEXED :

1. Schedule "A" Description of Stores, Prices, Duties/Taxes .
2. Annexure -"A" Technical Particulars of **ISIMARKED Submersible Pump**
3. Schedule "B" Special conditions of contract (if any)
4. Schedule "C" Information to DDOs about parallel rate contracts .
5. Schedule "D" Format for Drawal Report.

Yours faithfully,

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Copy To,

1. Secretary, Chhattisgarh Vidhan Sabha ,Raipur .
- 2.. Registrar, Honourable High court Chhattisgarh, Bilaspur .
3. Accountant General Chhattisgarh State .
4. All HODs of Chhattisgarh Govt. with request to circulate the copy of R/C to all Authorized officers to operate R/C as Direct Demanding Officer **& you are requested to send the purchase order copy by registered mail to this office.**
5. All Collectors ,Chhattisgarh State .
6. The Engineer IN-Chief, PHED/ PWD/WRD, Raipur (C.G.)
7. Director Treasury with request to circulate copy of R/C to all branches under your control .
8. **Dy. Director (Q.A.), DGS&D, 1st floor jawahar Sawmill compound Sahrangpur gate Ahmadabad , /PDIL, Usha Kiran, Flat No.6A, 12 A, Camac Street, Kolkata.W.B..**
 - They are requested to call for original INK-SIGNED Rate Contract for verification to their full satisfaction including validity of various documents like Registration, Tax Registration and Valid BIS etc. before taking action i.e. Release of Supply order, inspection of stores, payment of bill whichever is applicable, as the responsibility rests with the concerned authority . **You are requested to send the Inspection Report to this office.**
9. Manager (A/c) ,CSIDC (Mkt. Division). He is requested to maintain a master file of Rate Contract .
10. Computer cell Marketing Division, CSIDC Ltd. Raipur to release Rate Contract on CSIDC website.
11. Main file of **ISI Marked Submersible Pump**

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

SCHEDULE ' A '

For the supply of **ISIMARKED Submersible Pump** as per annexure' A ' enclosed.

1. (a) NAME AND FULL ADDRESS OF :- FIRM **M/s. ASSOCIATE ENTERPRISES,
Ward No.28, Ganj Line,
Rajnandgaon
Mob.9827174578**
- (b) NAME AND FULL ADDRESS OF :- MANUFACTURER **M/s. LA-GAJJAR MACHINERIES PVT.LTD.
ACIDWALA ESTATE,NAGARWEL HANUMAN
ROAD,AMRAIWADI,AHMEDABAD**
2. VALIDITY OF RATE CONTRACT **From 22.02.2010 to 21.02.2011**
3. DESCRIPTION OF ITEM, **ISIMARKED Submersible Pump** SPECIFICATION, UNIT RATE

S.No.	Item Code	Item Description		Rate ED & VAT Extra FOR Dest. Rs.
		Head in meter	Discharge in LPM	
Schedule-3 ISI MARKED Submersible Pump set for 150 mm bore size (Bronze Grade LTB of IS 318:1981 (RE 2001) amt-2, 3 phase, 415V				
1	P004076	60	600	28620.00
2	P004090	70	600	24486.00
Schedule-4 ISI MARKED Submersible Pump set for 150 mm bore size (Steel Grade 12 Cr 13 IS 1570:1985 Part 5 (RE 2004) 3 phase, 415V				
3	P004165	70	600	23703.00
Schedule-5 ISI MARKED Submersible Pump set for 150 mm bore size (Glass filled polloyphnylene Oxide(Modifide PPO) 3 phase, 415V				
4	P004241	70	600	22575.00

Note:-Technical particulars as per Annexure A enclosed.

4. TERMS OF DELIVERY : F. O. R Destination (Any where in C.G. State)
5. EXCISE DUTY : Extra as applicable at the time of Delivery
6. SALES TAX/VAT : VAT Extra as applicable. At the time of Delevery
TIN No. 22143602388.
7. DELIVERY PERIOD : 500 Nos. Per Month
(As per Tender Document)

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/AE/1838

Dated : 22.02.2010

8. a. ANNUAL TURN OVER/ : 2006-07 Rs. 15.47 Lakh
2007-08 Rs. 18.45 Lakh
2008-09 Rs. 20.70 Lakh
- b. MONETARY LIMIT : N.A.
- c. INSTALLED CAPACITY : 9000 Nos. Per Month on Single shift basis
9. SLAB DISCOUNT(IF ANY): Nil
10. PRICES : Prices are Firm and Final
11. MINIMUM QUANTITY IN SINGLE SUPPLY ORDER : Not Mentioned
12. STATUS OF RC HOLDING : Authorised Delier (Manufacture is SSI Unit)
FIRM
13. REGISTRATION STATUS : Manufacturer is Registered with
NSIC/GP/RS/PMT/GUJ/L023/2009-10/A-7
Dated 29.04.2009 Valid upto 23.04.2011
14. BIS LICENSE : Manufacturer is having BIS License for CML No.7826590
Validity 16.01.2009 to 15.01.2010
15. PAYING AUTHORITY : As Mentioned in supply order to be issued by Direct
Demanding Officer (DDOs).
16. PAYMENT TERMS : The payment of full 100% of prices of the stores of each
Consignment there of will be made after receipt and
acceptance of the stores by the consignee/interim consignee
in full and good condition. Within 20 days as per SPR rule
No.11, if the bills are in order. In case of delay in payment
without any reason the department will be liable to pay
interest prevailing as per Bank rate. Bills are to be submitted
in the prescribed form of the paying authority of purchaser /
indenter and are to be supported with inspection note issued
by the inspector and consignee's Receipt Certificate .
17. INSPECTION AUTHORITY : ADG(QA) Director General of Supplies and
Disposals, New Delhi OR Other Approved Government
Agency in accordance with the demand of concerned
department.

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

18. OFFICER QUALITY ASSURANCE : Dy. Director (QA), DGS&D, AHMEDABAD
Or Other Approved Government Agency in accordance with the demand of concerned department.
19. PLACE WHERE THE STORES ARE TO BE OFFERED FOR INSPECTION : At Manufacturer's Factory at
M/s. LA-GAJJAR MACHINERIES PVT.LTD.
ACIDWALA ESTATE,NAGARWEL HANUMAN ROAD,AMRAIWADI,AHMEDABAD
20. INSPECTION CHARGES : 0.60% Inspection charges (0.60% + Service Tax as applicable) to be paid extra at the time of inspection to Quality Assurance Officer which will be billed by the unit along with bill of the material and will be reimbursed by the paying authority of DDO.
21. SECURITY DEPOSIT : As per General Conditions of Contract, CSIDC Form No. 1, Clause 7, the Purchaser / DDOs may require the contractor to furnish a security deposit which shall be made after issue of the acceptance of the supply order within the period specified by the purchaser / DDOs . Such security deposit shall not Ordinarily exceed 3% . The security shall be in form of Demand Drafts / Fixed Deposit issued by any of the Scheduled Commercial Banks.
22. SPECIAL NOTE : **1. Purchasing departments will ensure pre dispatch inspection of supplied materials.**
2. Purchasing departments will be responsible for ensuring the quality of accepted materials.

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Annexure - "A"
Technical Particular For ISI MARKED Submersible Pump

Schedule -3 : ISI MARKED Submersible Pump set suitable for 150 mm Bore size

Specification:

ISI marked ISI MARKED Submersible Pump sets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Descharge.

Material of Impellers: Bronze Grade LTB of IS 318: 1981 (RE 2001) Amd 2.

P004076	60	600
P004090	70	600

Schedule -4 : ISI MARKED Submersible Pump set suitable for 150 mm Bore size

Specification:

ISI marked ISI MARKED Submersible Pump sets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Descharge.

Material of Impellers: stainless Steel Grade 12 Cr 13 IS 1570: 1985 Part 5 (RE2004).

P004165	70	600
---------	----	-----

Schedule -5 : ISI MARKED Submersible Pump set suitable for 150 mm Bore size

Specification:

ISI marked ISI MARKED Submersible Pump sets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Materil of Impellers: Glass Filled Polyphenylene Oxide (Modified PPO) Or glass filled Polycarbonate.

P004241	70	600
---------	----	-----

(M.A. Ansari)
Incharge PS-IV

General technical Requirements:

1. Submersible Pumps shall be supplied with :

i) Non return Valve fitted at pump delivery

ii) Discharge casing (Integral or separate)

iii) Submersible cable with copper conductor of suitable size of minimum 3mtrs external length with suitable guard. The cable shall be PVC insulated and PVC sheathed, weather proof THREE CORE., flat type to IS: 694/ 1990 with admit. NO. 1 & 2 (The size of the conductor shall be suitably selected so that the voltage drop at motor terminal does not exceed 3% of the rated voltage with 15 mtrs. Extended length of the cable).

iv) M.S. clamps: two number4s of M.S. clamps, suitable for Submersible Pumps of 150 mm diameter tube wills, made from 10 mm thick M.S. plate of 50 mm width, with suitable length and with suitable drill holes on each side along with suitable nuts/bolts/washers.

2. The Motor Stator of Submersible Pump sets shall be easily rewirable. It shall. It shall be possible to rewind the motor with ready made pre-tested coils.

3. The stator body shall be rigidly fitted and welded on the stamping assembly of to prevent any rotation or shifting of stampings. Stator or bearing housings shall not have threaded joints and shall be located by side fit and held together by suitable bolts.

4. The rotating elements of the Pump and motor shall be dynamically balanced at high speed. The manufacturer shall have the facilities for dynamic balancing at high speed. Details in this regard shall be enclosed with the tender.

SCHEDULE 'B'
(SPECIAL CONDITIONS OF CONTRACT)
ISI MARKED SUBMERSIBLE PUMP

Special Condition where they differ from the General Conditions Override the latter.

-: Nil :-

(M.A. Ansari)
Incharge PS-IV

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/AE/1838

Dated : 22.02.2010

SCHEDULE - C**LIST FOR RATE CONTRACT FOR
ISI MARKED SUBMERSIBLE PUMP**

S.No.	Name and Address of Firm	Rate Contract No.
1	M/s. ASSOCIATE ENTERPRISES, Ward No.28, Ganj Line, Rajnandgaon Mob.9827174578	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/AE/1838 Dated : 22.02.2010
2	M/s. SHRIVA PUMPS PVT. LTD. CHANDRAKHURI ROAD, MANDIR HASAUD, RAIPUR (C.G.) Mob.No.957588885	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/SPPL/1839 Dated : 22.02.2010
3	M/s. Vikrant Submersible Pumps Pvt. Ltd., Plot No.421 E & F. Sector-A,Urla Industrial Area, Raipur (C.G) Mob.No.9406250912	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/VSP/1840 Dated : 22.02.2010
4	M/s. Gupta Agro Impliments, Office : Sharan Complex, Opp. Deshbandhu English School, Nahar Para, Station Road, Raipur Mob.9630000400,0771-2880088	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/GAI/1841 Dated : 22.02.2010
5	M/s Choudhary Electronics & Co., Shiv Talkies Chowk, Bilaspur (C.G.) Mob.No.-9755821594,9826810636	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/CE&C/1842 Dated : 22.02.2010
6	M/s. Majhi Sales Corporation , Sonarpara, Raigarh Mob.no.9425572386	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/MSC/43 Dated : 22.02.2010

(M.A. Ansari)
Incharge PS-IV

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/AE/1838

Dated : 22.02.2010

SCHEDULE – D**FORMAT FOR QUATERLY DRAWAL REPORT**

Name of the Firm _____ Jan-Mar Report No. _____
 Apr-June
 Rate Contract No. _____ July-Sept. Date of Submission _____
 Oct - Dec

Total Position of Order against Rate Contract till the submission of Report.

Sno.	Name of Department	Quantity and Value of Orders Received (Rs.)	Quantity and Value of Orders Executed (Rs.)	Balance Quantity and Value to be Supplied (Rs.)	Reasons

Foot 1. Value indicate should be a) Value of orders received during the quarter-Rs.
 Total value inclusive of all Taxes duties and incidental Charges b) Value of orders supplied during the quarter-Rs.

2. Nil report should also be Submitted.

(S.K. Sonwani)
 Incharge Marketing-I
 For and on behalf of the purchaser
 named in CSIDC Form No. 2



Chhattisgarh State Industrial Development Corporation Limited

(A Government of Chhattisgarh Undertaking)

LIC Campus, Pandri Raipur 492 004 (C.G)

Phone 91-771-2583789-90, Fax : 91-771-2583794, 4091879

Website: www.csidc.in, Email : csidc.cg@nic.in, csidc_raipur@yahoo.com

No./CSIDC/MKD/PS-IV/2009-10/

Raipur, Dated :

Registered A/D

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/SPPL/1839

Dated : 22.02.2010

To ,

**M/s. SHRIVA PUMPS PVT. LTD.
CHANDRAKHURI ROAD,
MANDIR HASAUD,
RAIPUR (C.G.)
Mob.No.957588885**

FOR OFFICE USE ONLY

Sub :- Rate Contract for the supply of **ISI Marked Submersible Pump Valid from 22.02.2010 to 21.02.2011**

Ref :- (I) This Office Tender Enquiry No. MKD/PS-IV/E-110/09-10 .

(II) Bid No. 3132 submitted by you Dated 24.09.2009 and subsequent letter lasting with letter of even no. Nil dated 18.02.2010 and undertaking submitted by you on the same date.

Dear Sir,

You are hereby informed that your above referred tender read with subsequent letters mentioned above for the Stores specified in the Schedules annexed has been accepted. This rate contract will be governed by the terms and conditions brought in CSIDC Form No.1 & 2 . The Rate Contract and the Schedules annexed hereto shall be the sole repository of this Rate Contract / Transaction .

You are required to show the original **INK-SIGNED** subject Rate Contract to the satisfaction of Direct Demanding Officer who will place the supply order as per instructions contained in CSIDC form No. 2 and also to the Quality Assurance Officer for inspection purpose and to the paying authority at the time of getting the payment .

SCHEDULES ANNEXED :

1. Schedule "A" Description of Stores, Prices, Duties/Taxes .
2. Annexure -"A" Technical Particulars of **ISI Marked Submersible Pump**
3. Schedule "B" Special conditions of contract (if any)
4. Schedule "C" Information to DDOs about parallel rate contracts .
5. Schedule "D" Format for Drawal Report.

Yours faithfully,

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/SPPL/1839

Dated : 22.02.2010

Copy To,

1. Secretary, Chhattisgarh Vidhan Sabha ,Raipur .
- 2.. Registrar, Honourable High court Chhattisgarh, Bilaspur .
3. Accountant General Chhattisgarh State .
4. All HODs of Chhattisgarh Govt. with request to circulate the copy of R/C to all Authorized officers to operate R/C as Direct Demanding Officer **& you are requested to send the purchase order copy by registered mail to this office.**
5. All Collectors ,Chhattisgarh State .
6. The Engineer IN-Chief, PHED/ PWD/WRD, Raipur (C.G.)
7. Director Treasury with request to circulate copy of R/C to all branches under your control .
8. **Dy. Director (Q.A.), DGS&D, Bhilai, /PDIL, Usha Kiran, Flat No.6A, 12 A, Camac Street, Kolkata.W.B..**
 - They are requested to call for original INK-SIGNED Rate Contract for verification to their full satisfaction including validity of various documents like Registration, Tax Registration,Valid BIS etc. before taking action i.e. Release of Supply order, inspection of stores, payment of bill whichever is applicable, as the responsibility rests with the concerned authority . **You are requested to send the Inspection Report to this office.**
9. Manager (A/c) ,CSIDC (Mkt. Division). He is requested to maintain a master file of Rate Contract .
10. Computer cell Marketing Division, CSIDC Ltd. Raipur to release Rate Contract on CSIDC website.
11. Main file of **ISI Marked Submersible Pump**

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

SCHEDULE ' A 'For the supply of **ISI Marked Submersible Pump** as per annexure ' A ' enclosed.

1. (a) NAME AND FULL ADDRESS OF :- **M/s. SHRIVA PUMPS PVT. LTD.**
FIRM **CHANDRAKHURI ROAD,**
MANDIR HASAUD, RAIPUR (C.G.)
Mob.No.9575888885
- (b) NAME AND FULL ADDRESS OF :- **M/s. SHRIVA PUMPS PVT. LTD.**
MANUFACTURER **CHANDRAKHURI ROAD,**
MANDIR HASAUD, RAIPUR (C.G.)
2. VALIDITY OF RATE CONTRACT **From 22.02.2010 to 21.02.2011**
3. DESCRIPTION OF ITEM, **ISI Marked Submersible Pump** SPECIFICATION, UNIT RATE

S.No.	Item Code	Item Description		Rate ED & VAT Extra FOR Desti. Rs.
		Head in meter	Discharge in LPM	
Schedule-1 ISI Marked ISI Marked Submersible Pumpset for 100 mm bore size (Stainless Steel grade 12 Cr 13 of IS 1570:1985 part 5 (RE 2004) 3 phase, 415V				
1	P004010	70	100	17250.00
2	P004018	80	120	18599.00
3	P004022	90	100	18599.00
4	P004025	100	60	18702.00
5	P004026	100	80	20100.00
6	P004027	100	100	20700.00
7	P004028	100	120	22400.00
8	P004030	120	80	21200.00
Schedule-2 ISI Marked Submersible Pumpset for 100 mm bore size (Glass filled polloyphnylene Oxide(Modifide PPO) 3 phase, 415V				
9	P004042	70	100	16190.00
10	P004050	80	120	18400.00
11	P004054	90	100	17300.00
12	P004058	100	80	19100.00
13	P004059	100	100	19300.00
12	P004060	100	120	20500.00
13	P004062	120	80	21200.00
Schedule-3 ISI Marked Submersible Pumpset for 150 mm bore size (Bronze Grade LTB of IS 318:1981 (RE 2001) amt-2, 3 phase, 415V				
14	P004067	60	150	16460.00
15	P004068	60	200	16625.00
16	P004069	60	250	18290.00
17	P004070	60	300	18380.00
18	P004081	70	150	16890.00
19	P004082	70	200	17200.00
20	P004083	70	250	19500.00
21	P004084	70	300	19499.00
22	P004093	80	150	16890.00

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser

23	P004094	80	200	19380.00
24	P004096	80	300	23700.00
25	P004105	90	150	19800.00
26	P004106	90	200	19990.00
27	P004116	100	150	19850.00
28	P004121	110	150	19950.00
Schedule-4 ISI Marked Submersible Pumpset for 150 mm bore size (Steel Grade 12 Cr 13 IS 1570:1985 Part 5 (RE 2004) 3 phase, 415V				
29	P004142	60	150	16460.00
30	P004143	60	200	17200.00
31	P004144	60	250	18290.00
32	P004145	60	300	18480.00
33	P004147	60	400	19800.00
34	P004156	70	150	16890.00
35	P004157	70	200	17200.00
36	P004158	70	250	19500.00
37	P004159	70	300	19800.00
38	P004161	70	400	21500.00
39	P004168	80	150	16890.00
40	P004169	80	200	19380.00
41	P004171	80	300	23700.00
42	P004180	90	150	19800.00
43	P004181	90	200	19990.00
44	P004191	100	150	19850.00
45	P004196	110	150	19950.00
Schedule-5 ISI Marked Submersible Pumpset for 150 mm bore size (Glass filled polloyphnylene Oxide(Modifide PPO) 3 phase, 415V				
46	P004217	60	150	16460.00
47	P004218	60	200	17200.00
48	P004219	60	250	18260.00
49	P004220	60	300	18480.00
50	P004222	60	400	19800.00
51	P004232	70	150	16890.00
52	P004233	70	200	17200.00
53	P004234	70	250	19500.00
54	P004235	70	300	19800.00
55	P004237	70	400	21500.00
56	P004244	80	150	16890.00
57	P004245	80	200	19380.00
58	P004247	80	300	23700.00
59	P004256	90	150	19800.00
60	P004257	90	200	19990.00
61	P004267	100	150	19850.00
62	P004272	110	150	19950.00

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Schedule-6 ISI Marked Submersible Pumpset for 100 mm bore size (Stainless Steel grade 12 Cr 13 of IS 1570:1985 part 5 (RE 2004) Single phase 215 to 230V				
63	P004293	60	40	13300.00
64	P004295	60	60	14501.00
65	P004296	60	80	15100.00
66	P004300	70	40	13800.00
67	P004302	70	60	17064.00
68	P004306	80	40	15296.00
69	P004309	80	80	18252.00
70	P004322	100	60	22140.00
Schedule-7 ISI Marked Submersible Pumpset for 100 mm bore size (Glass filled polloyphnylene Oxide(Modifide PPO) Single phase 215 to 230V				
	P004325	60	40	12390.00
	P004327	60	60	14280.00
	P004328	60	80	14500.00
	P004332	70	40	13545.00
	P004334	70	60	17712.00
	P004338	80	40	15015.00
	P004341	80	80	21600.00
	P004354	100	60	20304.00

Note:-Technical particulars as per Annexure A enclosed.

4. TERMS OF DELIVERY : F. O. R Destination (Any where in C.G. State)
5. EXCISE DUTY : Extra As applicable at the time of Delivery
6. SALES TAX/VAT : VAT Extra as applicable. At the time of Delivery
TIN No. 22311100422.
7. DELIVERY PERIOD : 45 DAYS FOR SUPPLY, 833 PUMPS PER MONTH AS MONTHLY RATE OF SUPPLY

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/SPPL/1839

Dated : 22.02.2010

8. a. ANNUAL TURN OVER/ : 2006-07 Rs. 1.05 Crore
2007-08 Rs. 1.34 Crore
2008-09 Rs. 1.38 Crore
- b. MONETARY LIMIT : N.A.
- c. INSTALLED CAPACITY : 10000 Nos. Per Annum
9. SLAB DISCOUNT(IF ANY): Nil
10. PRICES : Prices are Firm and Final
11. MINIMUM QUANTITY IN SINGLE SUPPLY ORDER : Not Mentioned
12. STATUS OF RC HOLDING : SSI Unit
FIRM
13. REGISTRATION STATUS : Manufacturer is Registered with DTIC, Raipur vide Regn No. 102718307 dated 29.03.1995
14. BIS LICENSE : Manufacturer is having BIS License for CML No.8174578 Validity 16.12.2008 to 15.12.2009
15. PAYING AUTHORITY : As Mentioned in supply order to be issued by Direct Demanding Officer (DDOs).
16. PAYMENT TERMS : The payment of full 100% of prices of the stores of each Consignment there of will be made after receipt and acceptance of the stores by the consignee/interim consignee in full and good condition. Within 20 days as per SPR rule No.11, if the bills are in order. In case of delay in payment without any reason the department will be liable to pay interest prevailing as per Bank rate. Bills are to be submitted in the prescribed form of the paying authority of purchaser / indenter and are to be supported with inspection note issued by the inspector and consignee's Receipt Certificate .
17. INSPECTION AUTHORITY : ADG(QA) Director General of Supplies and Disposals, New Delhi OR Other Approved Government Agency in accordance with the demand of concerned department.

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

18. OFFICER QUALITY ASSURANCE : Dy. Director (QA), DGS&D, 60, Old Administrative Building, Bhilai Steel Plant, Bhilai, Distt. Durg, Chhattisgarh Or Other Approved Government Agency in accordance with the demand of concerned department.
19. PLACE WHERE THE STORES ARE TO BE OFFERED FOR INSPECTION : At Manufacturer's Factory at **M/s. SHRIVA PUMPS PVT. LTD. CHANDRAKHURI ROAD, MANDIR HASAUD, RAIPUR (C.G.)**
20. INSPECTION CHARGES : 0.60% Inspection charges (0.60% + Service Tax as applicable) to be paid extra at the time of inspection to Quality Assurance Officer which will be billed by the unit along with bill of the material and will be reimbursed by the paying authority of DDO.
21. SECURITY DEPOSIT : As per General Conditions of Contract, CSIDC Form No. 1, Clause 7, the Purchaser / DDOs may require the contractor to furnish a security deposit which shall be made after issue of the acceptance of the supply order within the period specified by the purchaser / DDOs . Such security deposit shall not Ordinarily exceed 3% . The security shall be in form of Demand Drafts / Fixed Deposit issued by any of the Scheduled Commercial Banks.
22. SPECIAL NOTE : **1. Purchasing departments will ensure pre dispatch inspection of supplied materials.**
- 2. Purchasing departments will be responsible for ensuring the quality of accepted materials.**

(S.K. Sonwani)
 Incharge Marketing-I
 For and on behalf of the purchaser
 named in CSIDC Form No. 2

Annexure - "A"**Technical Particular For ISI Marked Submersible Pump****Schedule -1 : ISI Marked Submersible Pumpset suitable for 100 mm Bore size****Specification:**

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 100

mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt.

1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Materials of impellers: Stainless Steel Grade 12 Cr 13 of IS 1570: 1985 part 5 (RE 2004)

P004010	70	100
P004018	80	120
P004022	90	100
P004025	100	60
P004026	100	80
P004027	100	100
P004028	100	120
P004030	120	80

Schedule -2 : ISI Marked Submersible Pumpset suitable for 100 mm Bore size**Specification:**

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 100 mm, for use in bore wells for handling Clear cold water having motor to IS:

9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Material of Impellers: Glass filled Pilyphenylene Oxide (Modified PPO) or glass filled polycarbonate

P004042	70	100
P004050	80	120
P004054	90	100
P004058	100	80
P004059	100	100
P004060	100	120
P004062	120	80

Schedule -3 : ISI Marked Submersible Pumpset suitable for 150 mm Bore size**Specification:**

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS:

9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Descharge.

Material of Impellers: Bronze Grade LTB of IS 318: 1981 (RE 2001) Amd 2.

P004067	60	150
P004068	60	200
P004069	60	250
P004070	60	300

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/SPPL/1839

Dated : 22.02.2010

P004081	70	150
P004082	70	200
P004083	70	250
P004084	70	300
P004093	80	150
P004094	80	200
P004096	80	300
P004105	90	150
P004106	90	200
P004116	100	150
P004121	110	150

Schedule -4 : ISI Marked Submersible Pumpset suitable for 150 mm Bore size

Specification:

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Material of Impellers: stainless Steel Grade 12 Cr 13 IS 1570: 1985 Part 5 (RE2004).

P004142	60	150
P004143	60	200
P004144	60	250
P004145	60	300
P004147	60	400
P004156	70	150
P004157	70	200
P004158	70	250
P004159	70	300
P004161	70	400
P004168	80	150
P004169	80	200
P004171	80	300
P004180	90	150
P004181	90	200
P004191	100	150
P004196	110	150

Schedule -5 : ISI Marked Submersible Pumpset suitable for 150 mm Bore size

Specification:

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Materil of Impellers: Glass Filled Polyphenylene Oxide (Modified PPO) Or glass filled Polycarbonate.

P004217	60	150
P004218	60	200
P004219	60	250
P004220	60	300

(M.A. Ansari)
Incharge PS-IV

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/SPPL/1839

Dated : 22.02.2010

P004222	60	400
P004232	70	150
P004233	70	200
P004234	70	250
P004235	70	300
P004237	70	400
P004244	80	150
P004245	80	200
P004247	80	300
P004256	90	150
P004257	90	200
P004267	100	150
P004272	110	150

Schedule -6 : ISI Marked Submersible Pumpset suitable for 100 mm Bore size (Single Phase)

Specification:

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 100 mm, for use in bore wells for handling Clear cold water having motor to IS:

9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 215v to 240 v+/-6%, Single phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Materials of impellers: Stainless Steel Grade 12 Cr 13 of IS 1570: 1985 part 5 (RE 2004).

P004293	60	40
P004295	60	60
P004296	60	80
P004300	70	40
P004302	70	60
P004306	80	40
P004309	80	80
P004322	100	60

Schedule -7 : ISI Marked Submersible Pumpset suitable for 100 mm Bore size (Single Phase)

Specification:

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 100 mm, for use in bore wells for handling Clear cold water having motor to IS:

9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 215v to 240 v+/-6%, Single phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Material of Impellers: Glass Filled Polyphenylene Oxide (Modified PPO) Or glass filled Polycarbonate.

P004325	60	40
P004327	60	60
P004328	60	80
P004332	70	40
P004334	70	60
P004338	80	40
P004341	80	80
P004354	100	60

(M.A. Ansari)
Incharge PS-IV

General technical Requirements:

1. Submersible Pumps shall be supplied with :

i) Non return Valve fitted at pump delivery

ii) Discharge casing (Integral or separate)

iii) Submersible cable with copper conductor of suitable size of minimum 3mtrs external length with suitable guard. The cable shall be PVC insulated and PVC sheathed, weather proof THREE CORE., flat type to IS: 694/ 1990 with admit. NO. 1 & 2 (The size of the conductor shall be suitably selected so that the voltage drop at motor terminal does not exceed 3% of the rated voltage with 15 mtrs. Extended length of the cable).

iv) M.S. clamps: two number4s of M.S. clamps, suitable for Submersible Pumps of 150 mm diameter tube wills, made from 10 mm thick M.S. plate of 50 mm width, with suitable length and with suitable drill holes on each side along with suitable nuts/bolts/washers.

2. The Motor Stator of Submersible Pump sets shall be easily rewirable. It shall. It shall be possible to rewind the motor with ready made pre-tested coils.

3. The stator body shall be rigidly fitted and welded on the stamping assembly of to prevent any rotation or shifting of stampings. Stator or bearing housings shall not have threaded joints and shall be located by side fit and held together by suitable bolts.

4. The rotating elements of the Pump and motor shall be dynamically balanced at high speed. The manufacturer shall have the facilities for dynamic balancing at high speed. Details in this regard shall be enclosed with the tender.

SCHEDULE 'B'
(SPECIAL CONDITIONS OF CONTRACT)
ISI MARKED SUBMERSIBLE PUMP

Special Condition where they differ from the General Conditions Override the latter.

-: Nil :-

(M.A. Ansari)
Incharge PS-IV

SCHEDULE - C**LIST FOR RATE CONTRACT FOR
ISI MARKED SUBMERSIBLE PUMP**

S.No.	Name and Address of Firm	Rate Contract No.
1	M/s. ASSOCIATE ENTERPRISES, Ward No.28, Ganj Line, Rajnandgaon Mob.9827174578	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/AE/1838 Dated : 22.02.2010
2	M/s. SHRIVA PUMPS PVT. LTD. CHANDRAKHURI ROAD, MANDIR HASAUD, RAIPUR (C.G.) Mob.No.957588885	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/SPPL/1839 Dated : 22.02.2010
3	M/s. Vikrant Submersible Pumps Pvt. Ltd., Plot No.421 E & F. Sector-A,Urla Industrial Area, Raipur (C.G) Mob.No.9406250912	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/VSP/1840 Dated : 22.02.2010
4	M/s. Gupta Agro Impliments, Office : Sharan Complex, Opp. Deshbandhu English School, Nahar Para, Station Road, Raipur Mob.9630000400,0771-2880088	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/GAI/1841 Dated : 22.02.2010
5	M/s Choudhary Electronics & Co., Shiv Talkies Chowk, Bilaspur (C.G.) Mob.No.-9755821594,9826810636	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/CE&C/1842 Dated : 22.02.2010
6	M/s. Majhi Sales Corporation , Sonarpara, Raigarh Mob.no.9425572386	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/MS/43 Dated : 22.02.2010

(M.A. Ansari)
Incharge PS-IV

SCHEDULE – D**FORMAT FOR QUATERLY DRAWAL REPORT**

Name of the Firm _____ Jan-Mar Report No. _____
 Apr-June
 Rate Contract No. _____ July-Sept. Date of Submission _____
 Oct - Dec

Total Position of Order against Rate Contract till the submission of Report.

Sno.	Name of Department	Quantity and Value of Orders Received (Rs.)	Quantity and Value of Orders Executed (Rs.)	Balance Quantity and Value to be Supplied (Rs.)	Reasons

Foot 1. Value indicate should be a) Value of orders received during the quarter-Rs.
 Total value inclusive of all b) Value of orders supplied during the quarter-Rs.
 Taxes duties and incidental
 Charges

2. Nil report should also be Submitted.

(S.K. Sonwani)
 Incharge Marketing-I
 For and on behalf of the purchaser
 named in CSIDC Form No. 2



Chhattisgarh State Industrial Development Corporation Limited

(A Government of Chhattisgarh Undertaking)

LIC Campus, Pandri Raipur 492 004 (C.G.)

Phone 91-771-2583789-90, Fax : 91-771-2583794, 4091879

Website: www.csidc.in, Email : csidc.cg@nic.in, csidc_raipur@yahoo.com

No./CSIDC/MKD/PS-IV/2009-10/

Raipur, Dated :

Registered A/D

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/VSP/1840

Dated : 22.02.2010

To ,

M/s. Vikrant Submersible Pumps Pvt. Ltd.,
Plot No.421 E & F. Sector-A,
Urla Industrial Area,
Raipur (C.G) Mob.No.9406250912

FOR OFFICE USE ONLY

Sub :- Rate Contract for the supply of **ISI Marked Submersible Pump Valid from 22.02.2010 to 21.02.2011**

Ref :- (I) This Office Tender Enquiry No. MKD/PS-IV/E-110/09-10 .

(II) Bid No. 3136 submitted by you Dated 25.09.2009 and subsequent letter lasting with letter of even no. NIL dated 18.02.2010 and undertaking submitted by you on the same date.

Dear Sir,

You are hereby informed that your above referred tender read with subsequent letters mentioned above for the Stores specified in the Schedules annexed has been accepted. This rate contract will be governed by the terms and conditions brought in CSIDC Form No.1 & 2 . The Rate Contract and the Schedules annexed hereto shall be the sole repository of this Rate Contract / Transaction .

You are required to show the original **INK-SIGNED** subject Rate Contract to the satisfaction of Direct Demanding Officer who will place the supply order as per instructions contained in CSIDC form No. 2 and also to the Quality Assurance Officer for inspection purpose and to the paying authority at the time of getting the payment .

SCHEDULES ANNEXED :

1. Schedule "A" Description of Stores, Prices, Duties/Taxes .
2. Annexure -"A" Technical Particulars of **ISI Marked Submersible Pump**
3. Schedule "B" Special conditions of contract (if any)
4. Schedule "C" Information to DDOs about parallel rate contracts .
5. Schedule "D" Format for Drawal Report.

Yours faithfully,

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/VSP/1840

Dated : 22.02.2010

Copy To,

1. Secretary, Chhattisgarh Vidhan Sabha ,Raipur .
- 2.. Registrar, Honourable High court Chhattisgarh, Bilaspur .
3. Accountant General Chhattisgarh State .
4. All HODs of Chhattisgarh Govt. with request to circulate the copy of R/C to all Authorized officers to operate R/C as Direct Demanding Officer **& you are requested to send the purchase order copy by registered mail to this office.**
5. All Collectors ,Chhattisgarh State .
6. The Engineer IN-Chief, PHED/ PWD/WRD, Raipur (C.G.)
7. Director Treasury with request to circulate copy of R/C to all branches under your control .
8. **Dy. Director (Q.A.), DGS&D, Bhilai, /PDIL, Usha Kiran, Flat No.6A, 12 A, Camac Street, Kolkata.W.B..**
 - They are requested to call for original INK-SIGNED Rate Contract for verification to their full satisfaction including validity of various documents like Registration, Tax Registration Valid BIS etc. before taking action i.e. Release of Supply order, inspection of stores, payment of bill whichever is applicable, as the responsibility rests with the concerned authority . **You are requested to send the Inspection Report to this office.**
9. Manager (A/c) ,CSIDC (Mkt. Division). He is requested to maintain a master file of Rate Contract .
10. Computer cell Marketing Division, CSIDC Ltd. Raipur to release Rate Contract on CSIDC website.
11. Main file of ISI Marked **Submersible Pump**

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/VSP/1840

Dated : 22.02.2010

SCHEDULE ' A 'For the supply of **ISI Marked Submersible Pump** as per annexure ' A ' enclosed.

1. (a) NAME AND FULL ADDRESS OF :- FIRM M/s. Vikrant Submersible Pumps Pvt. Ltd.,
Plot No.421 E & F. Sector-A,
Urla Industrial Area, Raipur (C.G)
Mob.No.9406250912
- (b) NAME AND FULL ADDRESS OF :- MANUFACTURER M/s. Vikrant Submersible Pumps Pvt. Ltd.,
Plot No.421 E & F. Sector-A,
Urla Industrial Area, Raipur (C.G)
2. VALIDITY OF RATE CONTRACT **From 22.02.2010 to 21.02.2011**

3. DESCRIPTION OF ITEM, **ISI Marked Submersible Pump** SPECIFICATION, UNIT RATE

S.No.	Item Code	Item Description		Rate FOR Desti. ED & VAT Extra
		Head in meter	Discharge in LPM	
Schedule-2 Submersible Pump set for 100 mm bore size (Glass filled polloyphnylene Oxide(Modifide PPO) 3 phase, 415V				
1	P004033	60	60	15309.00
2	P004035	60	100	16571.00
3	P004042	70	100	16190.00
4	P004050	80	120	18400.00
5	P004054	90	100	17300.00
6	P004059	100	100	19300.00
Schedule-3 Submersible Pump set for 150 mm bore size (Bronze Grade LTB of IS 318:1981 (RE 2001) amt-2, 3 phase, 415V				
	P004067	60	150	16460.00
	P004068	60	200	16625.00
	P004069	60	250	18290.00
	P004081	70	150	16890.00
	P004082	70	200	17200.00
	P004083	70	250	19500.00
	P004093	80	150	16890.00
	P004094	80	200	19380.00
	P004095	80	250	21767.00
	P004105	90	150	19800.00
	P004106	90	200	19990.00
	P004107	90	250	21194.00
	P004116	100	150	19850.00
	P004117	100	200	22988.00
	P004118	100	250	27125.00
	P004123	110	250	31806.00
	P004128	120	250	32788.00

(S.K. Sonwani)
Incharge Marketing-I

Schedule-4 Submersible Pump set for 150 mm bore size (Steel Grade 12 Cr 13 IS 1570:1985 Part 5 (RE 2004) 3 phase, 415V				
P004142	60	150	16460.00	
P004143	60	200	17200.00	
P004144	60	250	18290.00	
P004156	70	150	16890.00	
P004157	70	200	17200.00	
P004158	70	250	19500.00	
P004168	80	150	16890.00	
P004169	80	200	19380.00	
P004170	80	250	21767.00	
P004180	90	150	19800.00	
P004181	90	200	19990.00	
P004182	90	250	22194.00	
P004191	100	150	19850.00	
P004192	100	200	23112.00	
P004193	100	250	27125.00	
P004198	110	250	31806.00	
P004203	120	250	32788.00	
Schedule-5 Submersible Pump set for 150 mm bore size (Glass filled polloyphnylene Oxide(Modifide PPO) 3 phase, 415V				
P004217	60	150	16460.00	
P004218	60	200	17200.00	
P004219	60	250	18260.00	
P004232	70	150	16890.00	
P004233	70	200	17200.00	
P004234	70	250	19500.00	
P004244	80	150	16890.00	
P004245	80	200	19380.00	
P004246	80	250	23200.00	
P004256	90	150	19800.00	
P004257	90	200	19990.00	
P004258	90	250	22194.00	
P004267	100	150	19850.00	
P004268	100	200	23112.00	
P004269	100	250	27125.00	
P004274	110	250	31806.00	
P004279	120	250	31185.00	
Schedule-7 Submersible Pump set for 100 mm bore size (Glass filled polloyphnylene Oxide(Modifide PPO) Single phase 215 to 230V				
P004325	60	40	12390.00	
P004327	60	60	14280.00	
P004332	70	40	13545.00	
P004334	70	60	17712.00	
P004338	80	40	15015.00	
P004340	80	60	20650.00	
P004345	90	40	18600.00	
P004347	90	60	18870.00	

Note:-Technical particulars as per Annexure A enclosed.

(S.K. Sonwani)
Incharge Marketing-I

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/VSP/1840

Dated : 22.02.2010

4. TERMS OF DELIVERY : F. O. R Destination (Any where in C.G. State)
5. EXCISE DUTY : Extra as applicable at the time of Delivery
6. SALES TAX/VAT : VAT Extra as applicable. At the time of Delivery
TIN No. 22571500210
7. DELIVERY PERIOD : 30 days
8. a. ANNUAL TURN OVER/ : 2006-07 Rs. 1.54 Crore
2007-08 Rs. 3.66 Crore
2008-09 Rs. 3.82 Crore
- b. MONETARY LIMIT : N.A.
- c. INSTALLED CAPACITY : 7750 Nos. Per Year
9. SLAB DISCOUNT(IF ANY): Nil
10. PRICES : Prices are Firm and Final
11. MINIMUM QUANTITY IN SINGLE SUPPLY ORDER : Not Mentioned
12. STATUS OF RC HOLDING : SSI Unit
FIRM
13. REGISTRATION STATUS : Manufacturer is Registered with DTIC, Raipur vide Regn No. 1027013074/PMT/SSI dated 24.04.1989.
14. BIS LICENSE : Manufacturer is having BIS License for CML No.8009866
Validity 31.01.2011
15. PAYING AUTHORITY : As Mentioned in supply order to be issued by Direct Demanding Officer (DDOs).

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

16. PAYMENT TERMS : The payment of full 100% of prices of the stores of each Consignment there of will be made after receipt and acceptance of the stores by the consignee/interim consignee in full and good condition. Within 20 days as per SPR rule No.11, if the bills are in order. In case of delay in payment without any reason the department will be liable to pay interest prevailing as per Bank rate. Bills are to be submitted in the prescribed form of the paying authority of purchaser / indenter and are to be supported with inspection note issued by the inspector and consignee's Receipt Certificate .
- 17 INSPECTION AUTHORITY : ADG(QA) Director General of Supplies and Disposals, New Delhi OR Other Approved Government Agency in accordance with the demand of concerned department.

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/VSP/1840

Dated : 22.02.2010

- 18 OFFICER QUALITY ASSURANCE : Dy. Director (QA), DGS&D, 60, Old Administrative Building, Bhilai Steel Plant, Bhilai, Distt. Durg, Chhattisgarh Or Other Approved Government Agency in accordance with the demand of concerned department.
19. PLACE WHERE THE STORES ARE TO BE OFFERED FOR INSPECTION : At Manufacturer's Factory at M/s. Vikrant Submersible Pumps Pvt. Ltd., Plot No.421 E & F. Sector-A, Urla Industrial Area, Raipur (C.G)
20. INSPECTION CHARGES : 0.60% Inspection charges (0.60% + Service Tax as applicable) to be paid extra at the time of inspection to Quality Assurance Officer which will be billed by the unit along with bill of the material and will be reimbursed by the paying authority of DDO.
21. SECURITY DEPOSIT : As per General Conditions of Contract, CSIDC Form No. 1, Clause 7, the Purchaser / DDOs may require the contractor to furnish a security deposit which shall be made after issue of the acceptance of the supply order within the period specified by the purchaser / DDOs . Such security deposit shall not Ordinarily exceed 3% . The security shall be in form of Demand Drafts / Fixed Deposit issued by any of the Scheduled Commercial Banks.
22. SPECIAL NOTE : **1. Purchasing departments will ensure pre dispatch inspection of supplied materials.**
- 2. Purchasing departments will be responsible for ensuring the quality of accepted materials.**

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Annexure - "A"
Technical Particular For ISI Marked Submersible Pump

Schedule -2 : ISI Marked Submersible Pumpset suitable for 100 mm Bore size

Specification:

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 100 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Material of Impellers: Glass filled Pilyphenylene Oxide (Modified PPO) or glass filled polycarbonate

P004033	60	60
P004035	60	100
P004042	70	100
P004050	80	120
P004054	90	100
P004059	100	100

Schedule -3 : ISI Marked Submersible Pumpset suitable for 150 mm Bore size

Specification:

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Descharge.

Material of Impellers: Bronze Grade LTB of IS 318: 1981 (RE 2001) Amd 2.

P004067	60	150
P004068	60	200
P004069	60	250
P004081	70	150
P004082	70	200
P004083	70	250
P004093	80	150
P004094	80	200
P004095	80	250
P004105	90	150
P004106	90	200
P004107	90	250
P004116	100	150
P004117	100	200
P004118	100	250
P004123	110	250
P004128	120	250

(M.A. Ansari)
Incharge PS-IV

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/VSP/1840

Dated : 22.02.2010

Schedule -4 : ISI Marked Submersible Pumpset suitable for 150 mm Bore size

Specification:

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Material of Impellers: stainless Steel Grade 12 Cr 13 IS 1570: 1985 Part 5 (RE2004).

P004142	60	150
P004143	60	200
P004144	60	250
P004156	70	150
P004157	70	200
P004158	70	250
P004168	80	150
P004169	80	200
P004170	80	250
P004180	90	150
P004181	90	200
P004182	90	250
P004191	100	150
P004192	100	200
P004193	100	250
P004198	110	250
P004203	120	250

Schedule -5 : ISI Marked Submersible Pumpset suitable for 150 mm Bore size

Specification:

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Materil of Impellers: Glass Filled Polyphenylene Oxide (Modified PPO) Or glass filled Polycarbonate.

P004217	60	150
P004218	60	200
P004219	60	250
P004232	70	150
P004233	70	200
P004234	70	250
P004244	80	150
P004245	80	200
P004246	80	250
P004256	90	150
P004257	90	200
P004258	90	250
P004267	100	150
P004268	100	200
P004269	100	250
P004274	110	250
P004279	120	250

(M.A. Ansari)
Incharge PS-IV

Schedule -7 : ISI Marked Submersible Pumpset suitable for 100 mm Bore size (Single Phase)**Specification:**

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 100 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 215v to 240 v+/-6%, Single phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Material of Impellers: Glass Filled Polyphenylene Oxide (Modified PPO) Or glass filled Polycarbonate.

P004325	60	40
P004327	60	60
P004332	70	40
P004334	70	60
P004338	80	40
P004340	80	60
P004345	90	40
P004347	90	60

(M.A. Ansari)
Incharge PS-IV

General technical Requirements:

1. Submersible Pumps shall be supplied with :

i) Non return Valve fitted at pump delivery

ii) Discharge casing (Integral or separate)

iii) Submersible cable with copper conductor of suitable size of minimum 3mtrs external length with suitable guard. The cable shall be PVC insulated and PVC sheathed, weather proof THREE CORE., flat type to IS: 694/ 1990 with admit. NO. 1 & 2 (The size of the conductor shall be suitably selected so that the voltage drop at motor terminal does not exceed 3% of the rated voltage with 15 mtrs. Extended length of the cable).

iv) M.S. clamps: two number4s of M.S. clamps, suitable for Submersible Pumps of 150 mm diameter tube wills, made from 10 mm thick M.S. plate of 50 mm width, with suitable length and with suitable drill holes on each side along with suitable nuts/bolts/washers.

2. The Motor Stator of Submersible Pump sets shall be easily rewirable. It shall. It shall be possible to rewind the motor with ready made pre-tested coils.

3. The stator body shall be rigidly fitted and welded on the stamping assembly of to prevent any rotation or shifting of stampings. Stator or bearing housings shall not have threaded joints and shall be located by side fit and held together by suitable bolts.

4. The rotating elements of the Pump and motor shall be dynamically balanced at high speed. The manufacturer shall have the facilities for dynamic balancing at high speed. Details in this regard shall be enclosed with the tender.

SCHEDULE 'B'
(SPECIAL CONDITIONS OF CONTRACT)
ISI MARKED SUBMERSIBLE PUMP

Special Condition where they differ from the General Conditions Override the latter.

-: Nil :-

(M.A. Ansari)
Incharge PS-IV

SCHEDULE - C**LIST FOR RATE CONTRACT FOR
ISI MARKED SUBMERSIBLE PUMP**

S.No.	Name and Address of Firm	Rate Contract No.
1	M/s. ASSOCIATE ENTERPRISES, Ward No.28, Ganj Line, Rajnandgaon Mob.9827174578	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/AE/1838 Dated : 22.02.2010
2	M/s. SHRIVA PUMPS PVT. LTD. CHANDRAKHURI ROAD, MANDIR HASAUD, RAIPUR (C.G.) Mob.No.9575888885	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/SPPL/1839 Dated : 22.02.2010
3	M/s. Vikrant Submersible Pumps Pvt. Ltd., Plot No.421 E & F. Sector-A,Urla Industrial Area, Raipur (C.G) Mob.No.9406250912	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/VSP/1840 Dated : 22.02.2010
4	M/s. Gupta Agro Impliments, Office : Sharan Complex, Opp. Deshbandhu English School, Nahar Para, Station Road, Raipur Mob.9630000400,0771-2880088	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/GAI/1841 Dated : 22.02.2010
5	M/s Choudhary Electronics & Co., Shiv Talkies Chowk, Bilaspur (C.G.) Mob.No.-9755821594,9826810636	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/CE&C/1842 Dated : 22.02.2010
6	M/s. Majhi Sales Corporation , Sonarpara, Raigarh Mob.no.9425572386	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/MS/43 Dated : 22.02.2010

(M.A. Ansari)
Incharge PS-IV

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/VSP/1840

Dated : 22.02.2010

SCHEDULE – D**FORMAT FOR QUATERLY DRAWAL REPORT**

Name of the Firm _____ Jan-Mar Report No. _____
 Apr-June
 Rate Contract No. _____ July-Sept. Date of Submission _____
 Oct - Dec

Total Position of Order against Rate Contract till the submission of Report.

Sno.	Name of Department	Quantity and Value of Orders Received (Rs.)	Quantity and Value of Orders Executed (Rs.)	Balance Quantity and Value to be Supplied (Rs.)	Reasons

Foot 1. Value indicate should be a) Value of orders received during the quarter-Rs.
 Total value inclusive of all b) Value of orders supplied during the quarter-Rs.
 Taxes duties and incidental
 Charges

2. Nil report should also be Submitted.

(S.K. Sonwani)
 Incharge Marketing-I
 For and on behalf of the purchaser
 named in CSIDC Form No. 2



Chhattisgarh State Industrial Development Corporation Limited

(A Government of Chhattisgarh Undertaking)

LIC Campus, Pandri Raipur 492 004 (C.G)

Phone 91-771-2583789-90, Fax : 91-771-2583794, 4091879

Website: www.csidc.in, Email : csidc.cg@nic.in, csidc_raipur@yahoo.com

No./CSIDC/MKD/PS-IV/2009-10/

Raipur, Dated :

Registered A/D

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/GAI/1841

Dated : 22.02.2010

To ,

M/s. Gupta Agro Impliments,
Office : Sharan Complex,
Opp. Deshbandhu English School,
Nahar Para, Station Road,
Raipur Mob.No.9630000400,0771-2880088

FOR OFFICE USE ONLY

Sub :- Rate Contract for the supply of **ISI Marked Submersible Pump Valid from 22.02.2010 to 21.02.2011**

Ref :- (I) This Office Tender Enquiry No. MKD/PS-IV/E-110/09-10 .

(II) Bid No. 3147 submitted by you Dated 01.10.2009 and subsequent letter lasting with letter of even no. Nil dated 19.02.2010 and undertaking submitted by you on the same date.

Dear Sir,

You are hereby informed that your above referred tender read with subsequent letters mentioned above for the Stores specified in the Schedules annexed has been accepted. This rate contract will be governed by the terms and conditions brought in CSIDC Form No.1 & 2 . The Rate Contract and the Schedules annexed hereto shall be the sole repository of this Rate Contract / Transaction .

You are required to show the original **INK-SIGNED** subject Rate Contract to the satisfaction of Direct Demanding Officer who will place the supply order as per instructions contained in CSIDC form No. 2 and also to the Quality Assurance Officer for inspection purpose and to the paying authority at the time of getting the payment .

SCHEDULES ANNEXED :

1. Schedule "A" Description of Stores, Prices, Duties/Taxes .
2. Annexure -"A" Technical Particulars of **ISI Marked Submersible Pump**
3. Schedule "B" Special conditions of contract (if any)
4. Schedule "C" Information to DDOs about parallel rate contracts .
5. Schedule "D" Format for Drawal Report.

Yours faithfully,

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/GAI/1841

Dated : 22.02.2010

Copy To,

1. Secretary, Chhattisgarh Vidhan Sabha ,Raipur .
- 2.. Registrar, Honourable High court Chhattisgarh, Bilaspur .
3. Accountant General Chhattisgarh State .
4. All HODs of Chhattisgarh Govt. with request to circulate the copy of R/C to all Authorized officers to operate R/C as Direct Demanding Officer **& you are requested to send the purchase order copy by registered mail to this office.**
5. All Collectors ,Chhattisgarh State .
6. The Engineer IN-Chief, PHED/ PWD/WRD, Raipur (C.G.)
7. Director Treasury with request to circulate copy of R/C to all branches under your control .
8. **Dy. Director (Q.A.), DGS&D, Bhilai, /PDIL, Usha Kiran, Flat No.6A, 12 A, Camac Street, Kolkata.W.B..**
 - They are requested to call for original INK-SIGNED Rate Contract for verification to their full satisfaction including validity of various documents like Registration, Tax Registration Valid BIS etc. before taking action i.e. Release of Supply order, inspection of stores, payment of bill whichever is applicable, as the responsibility rests with the concerned authority . **You are requested to send the Inspection Report to this office.**
9. Manager (A/c) ,CSIDC (Mkt. Division). He is requested to maintain a master file of Rate Contract .
10. Computer cell Marketing Division, CSIDC Ltd. Raipur to release Rate Contract on CSIDC website.
11. Main file of **ISI Marked Submersible Pump**

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/GAI/1841

Dated : 22.02.2010

SCHEDULE ' A 'For the supply of **ISI Marked Submersible Pump** as per annexure ' A ' enclosed.

1. (a) NAME AND FULL ADDRESS OF :- FIRM M/s. Gupta Agro Impliments,
Office : Sharan Complex,
Opp. Deshbandhu English School,
Nahar Para, Station Road, Raipur
Mob.9630000400,0771-2880088
- (b) NAME AND FULL ADDRESS OF :- MANUFACTURER M/s. Gupta Agro Impliments,
Office : Sharan Complex,
Opp. Deshbandhu English School,
Nahar Para, Station Road, Raipur
2. VALIDITY OF RATE CONTRACT **From 22.02.2010 to 21.02.2011**
3. DESCRIPTION OF ITEM, **ISI Marked Submersible Pump** SPECIFICATION, UNIT RATE

S.No.	Item Code	Item Description		Rate FOR Desti. ED & VAT Extra
		Head in meter	Discharge in LPM	
Schedule-1 ISI Marked Submersible Pump set for 100 mm bore size (Stainless Steel grade 12 Cr 13 of IS 1570:1985 part 5 (RE 2004) 3 phase, 415V				
1	P004001	60	60	16329.00
	P004002	60	80	17145.00
	P004003	60	100	17766.00
	P004004	60	120	18900.00
	P004005	60	130	19845.00
	P004006	60	140	20837.00
	P004007	60	160	21879.00
	P004008	70	60	17250.00
	P004009	70	80	17250.00
	P004010	70	100	17250.00
	P004011	70	120	19904.00
	P004012	70	130	20899.00
	P004013	70	140	21944.00
	P004014	70	160	23041.00
	P004016	80	80	18599.00
	P004017	80	100	18599.00
	P004018	80	120	18599.00
	P004019	80	130	18599.00
	P004021	90	80	18599.00
	P004022	90	100	18599.00
	P004023	90	120	21006.00
	P004024	90	130	22056.00
	P004026	100	80	20100.00
	P004027	100	100	20700.00
	P004028	100	120	22400.00
	P004030	120	80	21200.00
	P004031	120	100	24786.00

(S.K. Sonwani)
Incharge Marketing-I

Schedule-2 Submersible Pump set for 100 mm bore size (Glass filled polloyphnylene Oxide(Modifide PPO) 3 phase, 415V				
P004033	60	60	15309.00	
P004034	60	80	16146.00	
P004035	60	100	16571.00	
P004036	60	120	17500.00	
P004037	60	130	18300.00	
P004038	60	140	19293.00	
P004039	60	160	20258.00	
P004040	70	60	16190.00	
P004041	70	80	16190.00	
P004042	70	100	16190.00	
P004043	70	120	19332.00	
P004044	70	130	20296.00	
P004045	70	140	21313.00	
P004046	70	160	22379.00	
P004048	80	80	17388.00	
P004049	80	100	18257.00	
P004050	80	120	18400.00	
P004051	80	130	18400.00	
P004053	90	80	17300.00	
P004054	90	100	17300.00	
P004055	90	120	21006.00	
P004056	90	130	22056.00	
P004058	100	80	19100.00	
P004059	100	100	19300.00	
P004060	100	120	20500.00	
P004062	120	80	21200.00	
P004063	120	100	23306.00	
Schedule-3 Submersible Pump set for 150 mm bore size (Bronze Grade LTB of IS 318:1981 (RE 2001) amt-2, 3 phase, 415V				
P004066	60	130	16460.00	
P004067	60	150	16460.00	
P004068	60	200	16625.00	
P004069	60	250	18290.00	
P004070	60	300	18380.00	
P004071	60	360	19299.00	
P004072	60	400	21384.00	
P004073	60	450	28620.00	
P004080	70	130	16890.00	
P004081	70	150	16890.00	
P004082	70	200	17200.00	
P004083	70	250	19500.00	
P004084	70	300	19499.00	
P004085	70	360	20473	
P004086	70	400	23220	
P004087	70	450	24381	
P004092	80	130	16890	
P004093	80	150	16890	
P004094	80	200	19380	

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser

P004095	80	250	21767.00
P004096	80	300	23700
P004097	80	360	27540
P004098	80	400	27540
P004099	80	450	28917
P004104	90	130	19800
P004105	90	150	19800
P004106	90	200	19990
P004107	90	250	22194
P004108	90	300	23303
P004115	100	130	19850
P004116	100	150	19850
P004117	100	200	22988
P004118	100	250	27125.00
P004119	100	300	28481.00
P004120	110	130	19950
P004121	110	150	19950
P004122	110	200	24610
P004123	110	250	31806
P004124	110	300	32788
P004125	120	130	26500
P004126	120	150	28728
P004127	120	200	29700
P004128	120	250	32788.00
P004129	120	300	32788.00
P004130	130	130	26500
P004131	130	150	28728
P004132	130	200	29700.00
P004133	130	250	32788.00
Schedule-4 Submersible Pump set for 150 mm bore size (Steel Grade 12 Cr 13 IS 1570:1985 Part 5 (RE 2004) 3 phase, 415V			
P004141	60	130	16460.00
P004142	60	150	16460.00
P004143	60	200	17200
P004144	60	250	18290
P004145	60	300	18480
P004146	60	360	19800
P004147	60	400	19800
P004148	60	450	20790
P004155	70	130	16890
P004156	70	150	16890
P004157	70	200	17200
P004158	70	250	19500
P004159	70	300	19800
P004160	70	360	20790.00
P004161	70	400	21500
P004162	70	450	22575
P004167	80	130	16890
P004168	80	150	16890
P004169	80	200	19380
P004170	80	250	21767.00

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser

	P004171	80	300	23700
	P004172	80	360	24885.00
	P004173	80	400	27540
	P004174	80	450	28917
	P004179	90	130	19800
	P004180	90	150	19800
	P004181	90	200	19990
	P004182	90	250	22194
	P004183	90	300	23303
	P004190	100	130	19850
	P004191	100	150	19850
	P004192	100	200	23112
	P004193	100	250	27125.00
	P004194	100	300	28481.00
	P004195	110	130	19950
	P004196	110	150	19950
	P004197	110	200	24610
	P004198	110	250	31806
	P004199	110	300	32788
	P004200	120	130	26500
	P004201	120	150	28728
	P004202	120	200	29700.00
	P004203	120	250	32728
	P004204	120	300	32788.00
	P004205	130	130	26500
	P004206	130	150	28728
	P004207	130	200	29700.00
	P004208	130	250	32788.00
Schedule-6 Submersible Pump set for 100 mm bore size (Stainless Steel grade 12 Cr 13 of IS 1570:1985 part 5 (RE 2004) Single phase 215 to 230V				
	P004296	60	80	15100
	P004313	90	40	19710
	P004315	90	60	20217
	P004321	100	50	22140
	P004322	100	60	22140
Schedule-7 Submersible Pump set for 100 mm bore size (Glass filled polloyphnylene Oxide(Modifide PPO) Single phase 215 to 230V				
	P004323	60	20	12390
	P004324	60	30	12390
	P004325	60	40	12390
	P004326	60	50	14280
	P004327	60	60	14280
	P004328	60	80	14500
	P004329	60	100	17064
	P004330	70	20	13545
	P004331	70	30	13545
	P004332	70	40	13545
	P004333	70	50	14222
	P004334	70	60	17712
	P004335	70	80	17712

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser

	P004336	70	100	18597
	P004338	80	40	15015
	P004339	80	50	15765
	P004340	80	60	20650
	P004341	80	80	21600
	P004342	80	100	21600
	P004345	90	40	18600
	P004346	90	50	18870
	P004347	90	60	18870
	P004348	90	80	19813
	P004353	100	50	20304
	P004354	100	60	20304

Note:-Technical particulars as per Annexure A enclosed.

4. TERMS OF DELIVERY : F. O. R Destination (Any where in C.G. State)
5. EXCISE DUTY : Extra as applicable at the time of Delivery
6. SALES TAX/VAT : VAT Extra as applicable. At the time of Delivery
TIN No. 22511401400
7. DELIVERY PERIOD : 30-45 Days

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/GAI/1841

Dated : 22.02.2010

8. a. ANNUAL TURN OVER/ : 2006-07 Rs. 17.14 Lakh
2007-08 Rs. 1.44 Crore
2008-09 Rs. 5.23 Crore
- b. MONETARY LIMIT : N.A.
- c. INSTALLED CAPACITY : 6000 Nos. Per Annum
9. SLAB DISCOUNT(IF ANY): Nil
10. PRICES : Prices are Firm and Final
11. MINIMUM QUANTITY IN SINGLE SUPPLY ORDER : Not Mentioned
12. STATUS OF RC HOLDING : SSI Unit
FIRM
13. REGISTRATION STATUS : Manufacturer is Registered with DTIC, Raipur vide Regn No. 102719029 dated 09.07.2001
14. BIS LICENSE : Manufacturer is having BIS License for CML No. 8558697 Validity 19.08.2009 to 18.08.2010
15. PAYING AUTHORITY : As Mentioned in supply order to be issued by Direct Demanding Officer (DDOs).
16. PAYMENT TERMS : The payment of full 100% of prices of the stores of each Consignment there of will be made after receipt and acceptance of the stores by the consignee/interim consignee in full and good condition. Within 20 days as per SPR rule No.11, if the bills are in order. In case of delay in payment without any reason the department will be liable to pay interest prevailing as per Bank rate. Bills are to be submitted in the prescribed form of the paying authority of purchaser / indenter and are to be supported with inspection note issued by the inspector and consignee's Receipt Certificate .
17. INSPECTION AUTHORITY : ADG(QA) Director General of Supplies and Disposals, New Delhi OR Other Approved Government Agency in accordance with the demand of concerned department.

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/GAI/1841

Dated : 22.02.2010

18. OFFICER QUALITY ASSURANCE : Dy. Director (QA), DGS&D, 60, Old Administrative Building, Bhilai Steel Plant, Bhilai, Distt. Durg, Chhattisgarh Or Other Approved Government Agency in accordance with the demand of concerned department.
19. PLACE WHERE THE STORES ARE TO BE OFFERED FOR INSPECTION : At Manufacturer's Factory at M/s. Gupta Agro Impliments, Office : Sharan Complex, Opp. Deshbandhu English School, Nahar Para, Station Road, Raipur
20. INSPECTION CHARGES : 0.60% Inspection charges (0.60% + Service Tax as applicable) to be paid extra at the time of inspection to Quality Assurance Officer which will be billed by the unit along with bill of the material and will be reimbursed by the paying authority of DDO.
21. SECURITY DEPOSIT : As per General Conditions of Contract, CSIDC Form No. 1, Clause 7, the Purchaser / DDOs may require the contractor to furnish a security deposit which shall be made after issue of the acceptance of the supply order within the period specified by the purchaser / DDOs . Such security deposit shall not Ordinarily exceed 3% . The security shall be in form of Demand Drafts / Fixed Deposit issued by any of the Scheduled Commercial Banks.
22. SPECIAL NOTE : **1. Purchasing departments will ensure pre dispatch inspection of supplied materials.**
- 2. Purchasing departments will be responsible for ensuring the quality of accepted materials.**

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/GAI/1841

Dated : 22.02.2010

Annexure - "A"**Technical Particular For ISI Marked Submersible Pump****Schedule -1 : ISI Marked Submersible Pumpset suitable for 100 mm Bore size****Specification:**

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 100

mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt.

1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Materials of impellers: Stainless Steel Grade 12 Cr 13 of IS 1570: 1985 part 5 (RE 2004)

P004001	60	60
P004002	60	80
P004003	60	100
P004004	60	120
P004005	60	130
P004006	60	140
P004007	60	160
P004008	70	60
P004009	70	80
P004010	70	100
P004011	70	120
P004012	70	130
P004013	70	140
P004014	70	160
P004016	80	80
P004017	80	100
P004018	80	120
P004019	80	130
P004021	90	80
P004022	90	100
P004023	90	120
P004024	90	130
P004026	100	80
P004027	100	100
P004028	100	120
P004030	120	80
P004031	120	100

Schedule -2 : ISI Marked Submersible Pumpset suitable for 100 mm Bore size**Specification:**

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 100 mm, for use in bore wells for handling Clear cold water having motor to IS:

9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Material of Impellers: Glass filled Pilyphenylene Oxide (Modified PPO) or glass filled Polycarbonate

(M.A. Ansari)
Incharge PS-IV

P004033	60	60
P004034	60	80
P004035	60	100
P004036	60	120
P004037	60	130
P004038	60	140
P004039	60	160
P004040	70	60
P004041	70	80
P004042	70	100
P004043	70	120
P004044	70	130
P004045	70	140
P004046	70	160
P004048	80	80
P004049	80	100
P004050	80	120
P004051	80	130
P004053	90	80
P004054	90	100
P004055	90	120
P004056	90	130
P004058	100	80
P004059	100	100
P004060	100	120
P004062	120	80
P004063	120	100

Schedule -3 : ISI Marked Submersible Pumpset suitable for 150 mm Bore size

Specification:

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Descharge.

Material of Impellers: Bronze Grade LTB of IS 318: 1981 (RE 2001) Amd 2.

P004066	60	130
P004067	60	150
P004068	60	200
P004069	60	250
P004070	60	300
P004071	60	360
P004072	60	400
P004073	60	450
P004080	70	130
P004081	70	150
P004082	70	200
P004083	70	250
P004084	70	300
P004085	70	360
P004086	70	400

P004087	70	450
P004092	80	130
P004093	80	150
P004094	80	200
P004095	80	250
P004096	80	300
P004097	80	360
P004098	80	400
P004099	80	450
P004104	90	130
P004105	90	150
P004106	90	200
P004107	90	250
P004108	90	300
P004115	100	130
P004116	100	150
P004117	100	200
P004118	100	250
P004119	100	300
P004120	110	130
P004121	110	150
P004122	110	200
P004123	110	250
P004124	110	300
P004125	120	130
P004126	120	150
P004127	120	200
P004128	120	250
P004129	120	300
P004130	130	130
P004131	130	150
P004132	130	200
P004133	130	250

Schedule -4 : ISI Marked Submersible Pumpset suitable for 150 mm Bore size
Specification:

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1 & 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Material of Impellers: stainless Steel Grade 12 Cr 13 IS 1570: 1985 Part 5 (RE2004).

P004141	60	130
P004142	60	150
P004143	60	200
P004144	60	250
P004145	60	300
P004146	60	360
P004147	60	400
P004148	60	450
P004155	70	130
P004156	70	150

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/GAI/1841

Dated : 22.02.2010

P004157	70	200
P004158	70	250
P004159	70	300
P004160	70	360
P004161	70	400
P004162	70	450
P004167	80	130
P004168	80	150
P004169	80	200
P004170	80	250
P004171	80	300
P004172	80	360
P004173	80	400
P004174	80	450
P004179	90	130
P004180	90	150
P004181	90	200
P004182	90	250
P004183	90	300
P004190	100	130
P004191	100	150
P004192	100	200
P004193	100	250
P004194	100	300
P004195	110	130
P004196	110	150
P004197	110	200
P004198	110	250
P004199	110	300
P004200	120	130
P004201	120	150
P004202	120	200
P004203	120	250
P004204	120	300
P004205	130	130
P004206	130	150
P004207	130	200
P004208	130	250

Schedule -6 : ISI Marked Submersible Pumpset suitable for 100 mm Bore size (Single Phase)

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 100 mm, for use in bore wells for handling Clear cold water having motor to IS:

9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm

synchronous, suitable for 215v to 240 v+/-6%, Single phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Materials of impellers: Stainless Steel Grade 12 Cr 13 of IS 1570: 1985 part 5 (RE 2004).

P004291	60	20
P004292	60	30
P004293	60	40
P004294	60	50
P004295	60	60
P004296	60	80
P004297	60	100

(M.A. Ansari)
Incharge PS-IV

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/GAI/1841

Dated : 22.02.2010

P004298	70	20
P004299	70	30
P004300	70	40
P004301	70	50
P004302	70	60
P004303	70	80
P004304	70	100
P004306	80	40
P004307	80	50
P004308	80	60
P004309	80	80
P004310	80	100
P004312	90	30
P004313	90	40
P004314	90	50
P004315	90	60
P004316	90	80
P004321	100	50
P004322	100	60

Schedule -7 : ISI Marked Submersible Pumpset suitable for 100 mm Bore size (Single Phase)

Specification:

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 100 mm, for use in bore wells for handling Clear cold water having motor to IS:

9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm

synchronous, suitable for 215v to 240 v+/-6%, Single phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Material of Impellers: Glass Filled Polyphenylene Oxide (Modified PPO) Or glass filled Polycarbonate.

P004323	60	20
P004324	60	30
P004325	60	40
P004326	60	50
P004327	60	60
P004328	60	80
P004329	60	100
P004330	70	20
P004331	70	30
P004332	70	40
P004333	70	50
P004334	70	60
P004335	70	80
P004336	70	100
P004338	80	40
P004339	80	50
P004340	80	60
P004341	80	80
P004342	80	100
P004345	90	40
P004346	90	50
P004347	90	60
P004348	90	80
P004353	100	50
P004354	100	60

(M.A. Ansari)
Incharge PS-IV

General technical Requirements:

1. Submersible Pumps shall be supplied with :

i) Non return Valve fitted at pump delivery

ii) Discharge casing (Integral or separate)

iii) Submersible cable with copper conductor of suitable size of minimum 3mtrs external length with suitable guard. The cable shall be PVC insulated and PVC sheathed, weather proof THREE CORE., flat type to IS: 694/ 1990 with admit. NO. 1 & 2 (The size of the conductor shall be suitably selected so that the voltage drop at motor terminal does not exceed 3% of the rated voltage with 15 mtrs. Extended length of the cable).

iv) M.S. clamps: two number4s of M.S. clamps, suitable for Submersible Pumps of 150 mm diameter tube wills, made from 10 mm thick M.S. plate of 50 mm width, with suitable length and with suitable drill holes on each side along with suitable nuts/bolts/washers.

2. The Motor Stator of Submersible Pump sets shall be easily rewirable. It shall. It shall be possible to rewind the motor with ready made pre-tested coils.

3. The stator body shall be rigidly fitted and welded on the stamping assembly of to prevent any rotation or shifting of stampings. Stator or bearing housings shall not have threaded joints and shall be located by side fit and held together by suitable bolts.

4. The rotating elements of the Pump and motor shall be dynamically balanced at high speed. The manufacturer shall have the facilities for dynamic balancing at high speed. Details in this regard shall be enclosed with the tender.

SCHEDULE 'B'
(SPECIAL CONDITIONS OF CONTRACT)
ISI MARKED SUBMERSIBLE PUMP

Special Condition where they differ from the General Conditions Override the latter.

-: Nil :-

(M.A. Ansari)
Incharge PS-IV

SCHEDULE - C**LIST FOR RATE CONTRACT FOR
ISI MARKED SUBMERSIBLE PUMP**

S.No.	Name and Address of Firm	Rate Contract No.
1	M/s. ASSOCIATE ENTERPRISES, Ward No.28, Ganj Line, Rajnandgaon Mob.9827174578	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/AE/1838 Dated : 22.02.2010
2	M/s. SHRIVA PUMPS PVT. LTD. CHANDRAKHURI ROAD, MANDIR HASAUD, RAIPUR (C.G.) Mob.No.9575888885	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/SPPL/1839 Dated : 22.02.2010
3	M/s. Vikrant Submersible Pumps Pvt. Ltd., Plot No.421 E & F. Sector-A,Urla Industrial Area, Raipur (C.G) Mob.No.9406250912	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/VSP/1840 Dated : 22.02.2010
4	M/s. Gupta Agro Impliments, Office : Sharan Complex, Opp. Deshbandhu English School, Nahar Para, Station Road, Raipur Mob.9630000400,0771-2880088	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/GAI/1841 Dated : 22.02.2010
5	M/s Choudhary Electronics & Co., Shiv Talkies Chowk, Bilaspur (C.G.) Mob.No.-9755821594,9826810636	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/CE&C/1842 Dated : 22.02.2010
6	M/s. Majhi Sales Corporation , Sonarpara, Raigarh Mob.no.9425572386	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/MS/43 Dated : 22.02.2010

(M.A. Ansari)
Incharge PS-IV

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/GAI/1841

Dated : 22.02.2010

SCHEDULE – D**FORMAT FOR QUATERLY DRAWAL REPORT**

Name of the Firm _____ Jan-Mar Report No. _____
 Apr-June
 Rate Contract No. _____ July-Sept. Date of Submission _____
 Oct - Dec

Total Position of Order against Rate Contract till the submission of Report.

Sno.	Name of Department	Quantity and Value of Orders Received (Rs.)	Quantity and Value of Orders Executed (Rs.)	Balance Quantity and Value to be Supplied (Rs.)	Reasons

Foot 1. Value indicate should be a) Value of orders received during the quarter-Rs.
 Total value inclusive of all b) Value of orders supplied during the quarter-Rs.
 Taxes duties and incidental
 Charges

2. Nil report should also be Submitted.

(S.K. Sonwani)
 Incharge Marketing-I
 For and on behalf of the purchaser
 named in CSIDC Form No. 2



Chhattisgarh State Industrial Development Corporation Limited

(A Government of Chhattisgarh Undertaking)

LIC Campus, Pandri Raipur 492 004 (C.G)

Phone 91-771-2583789-90, Fax : 91-771-2583794, 4091879

Website: www.csidc.in, Email : csidc.cg@nic.in, csidc_raipur@yahoo.com

No./CSIDC/MKD/PS-IV/2009-10/

Raipur, Dated :

Registered A/D

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/CE&C/1842

Dated : 22.02.2010

To ,

M/s Choudhary Electronics & Co.,
Shiv Talkies Chowk,
Bilaspur (C.G.)
Mob.No.-9755821594,9826810636

FOR OFFICE USE ONLY

Sub :- Rate Contract for the supply of **ISI Marked Submersible Pump Valid from 22.02.2010 to 21.02.2011**

Ref :- (I) This Office Tender Enquiry No. MKD/PS-IV/E-110/09-10 .

(II) Bid No. 3154 submitted by you Dated 03.10.2009 and subsequent letter lasting with letter of even no. Nil dated 19.02.2010 and undertaking submitted by you on the same date.

Dear Sir,

You are hereby informed that your above referred tender read with subsequent letters mentioned above for the Stores specified in the Schedules annexed has been accepted. This rate contract will be governed by the terms and conditions brought in CSIDC Form No.1 & 2 . The Rate Contract and the Schedules annexed hereto shall be the sole repository of this Rate Contract / Transaction .

You are required to show the original **INK-SIGNED** subject Rate Contract to the satisfaction of Direct Demanding Officer who will place the supply order as per instructions contained in CSIDC form No. 2 and also to the Quality Assurance Officer for inspection purpose and to the paying authority at the time of getting the payment .

SCHEDULES ANNEXED :

1. Schedule "A" Description of Stores, Prices, Duties/Taxes .
2. Annexure -"A" Technical Particulars of **ISI Marked Submersible Pump**
3. Schedule "B" Special conditions of contract (if any)
4. Schedule "C" Information to DDOs about parallel rate contracts .
5. Schedule "D" Format for Drawal Report.

Yours faithfully,

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/CE&C/1842 Dated : 22.02.2010

Copy To,

1. Secretary, Chhattisgarh Vidhan Sabha ,Raipur .
- 2.. Registrar, Honourable High court Chhattisgarh, Bilaspur .
3. Accountant General Chhattisgarh State .
4. All HODs of Chhattisgarh Govt. with request to circulate the copy of R/C to all Authorized officers to operate R/C as Direct Demanding Officer **& you are requested to send the purchase order copy by registered mail to this office.**
5. All Collectors ,Chhattisgarh State .
6. The Engineer IN-Chief, PHED/ PWD/WRD, Raipur (C.G.)
7. Director Treasury with request to circulate copy of R/C to all branches under your control .
8. **Dy. Director (Q.A.), DGS&D, Bhilai, /PDIL, Usha Kiran, Flat No.6A, 12 A, Camac Street, Kolkata.W.B..**
 - They are requested to call for original INK-SIGNED Rate Contract for verification to their full satisfaction including validity of various documents like Registration, Tax Registration Valid BIS etc. before taking action i.e. Release of Supply order, inspection of stores, payment of bill whichever is applicable, as the responsibility rests with the concerned authority . **You are requested to send the Inspection Report to this office.**
9. Manager (A/c) ,CSIDC (Mkt. Division). He is requested to maintain a master file of Rate Contract .
10. Computer cell Marketing Division, CSIDC Ltd. Raipur to release Rate Contract on CSIDC website.
11. Main file of **ISI Marked Submersible Pump**

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/CE&C/1842 Dated : 22.02.2010

SCHEDULE ' A 'For the supply of **ISI Marked Submersible Pump** as per annexure ' A ' enclosed.

1. (a) NAME AND FULL ADDRESS OF :- FIRM M/s Choudhary Electronics & Co.,
Shiv Talkies Chowk,
Bilaspur (C.G.)
Mob.No.-9755821594,9826810636
- (b) NAME AND FULL ADDRESS OF :- MANUFACTURER M/s Choudhary Electronics & Co.,
Shiv Talkies Chowk,
Bilaspur (C.G.)
2. VALIDITY OF RATE CONTRACT **From 22.02.2010 to 21.02.2011**
3. DESCRIPTION OF ITEM, **ISI Marked Submersible Pump** SPECIFICATION, UNIT RATE

S.No.	Item Code	Item Description		Rate FOR Desti. ED & VAT Extra
		Head in meter	Discharge in LPM	
Schedule-2 Submersible Pump set for 100 mm bore size (Glass filled polloyphnylene Oxide(Modifide PPO) 3 phase, 415V				
1	P004035	60	100	16571.00
	P004042	70	100	16190.00
	P004049	80	100	18257.00
	P004054	90	100	17300.00
	P004060	100	120	20500.00
Schedule-3 Submersible Pump set for 150 mm bore size (Bronze Grade LTB of IS 318:1981 (RE 2001) amt-2, 3 phase, 415V				
	P004067	60	150	16460.00
	P004068	60	200	16625.00
	P004081	70	150	16890.00
	P004082	70	200	17200.00
	P004093	80	150	16890.00
	P004094	80	200	19380.00
	P004096	80	300	23700.00
	P004105	90	150	19800.00
	P004106	90	200	19990.00
	P004116	100	150	19850.00
	P004117	100	200	22988.00
	P004121	110	150	19950.00
	P004122	110	200	24610.00
	P004126	120	150	28728.00
	P004127	120	200	29700.00

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/CE&C/1842 Dated : 22.02.2010

Schedule-4 Submersible Pump set for 150 mm bore size (Steel Grade 12 Cr 13 IS 1570:1985 Part 5 (RE 2004) 3 phase, 415V				
P004142	60	150	16460.00	
P004143	60	200	17200.00	
P004156	70	150	16890.00	
P004157	70	200	17200.00	
P004168	80	150	16890.00	
P004169	80	200	19380.00	
P004171	80	300	23700.00	
P004180	90	150	19800.00	
P004181	90	200	19990.00	
P004191	100	150	19850.00	
P004192	100	200	23112.00	
P004196	110	150	19950.00	
P004197	110	200	24610.00	
P004201	120	150	28728.00	
P004202	120	200	29700.00	
Schedule-5 Submersible Pump set for 150 mm bore size (Glass filled polloyphnylene Oxide(Modifide PPO) 3 phase, 415V				
P004217	60	150	16460.00	
P004218	60	200	17200.00	
P004232	70	150	16890.00	
P004233	70	200	17200.00	
P004244	80	150	16890.00	
P004245	80	200	19380.00	
P004256	90	150	19800.00	
P004257	90	200	19990.00	
P004268	100	200	23112.00	
P004272	110	150	19950.00	
P004273	110	200	28728.00	
P004277	120	150	28728.00	
P004278	120	200	29700.00	
chedule-7 Submersible Pump set for 100 mm bore size (Glass filled polloyphnylene Oxide(Modifide PPO) Single phase 215 to 230V				
P004325	60	40	12390.00	
P004327	60	60	14280.00	
P004329	60	100	17064.00	
P004332	70	40	13545.00	
P004334	70	60	17712.00	
P004338	80	40	15015.00	
P004340	80	60	20650.00	
P004345	90	40	18600.00	

Note:-Technical particulars as per Annexure A enclosed.

4. TERMS OF DELIVERY : F. O. R Destination (Any where in C.G. State)
5. EXCISE DUTY : Extra as applicable at the time of Delivery
6. SALES TAX/VAT : VAT Extra as applicable. At the time of Delivery
TIN No. 22264100708
7. DELIVERY PERIOD : 45-60 Days

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/CE&C/1842 Dated : 22.02.2010

8. a. ANNUAL TURN OVER/ : NM
 b. MONETARY LIMIT : N.A.
 c. INSTALLED CAPACITY : 9000 Sets Per Annum
9. SLAB DISCOUNT(IF ANY): Nil
10. PRICES : Prices are Firm and Final
11. MINIMUM QUANTITY IN SINGLE SUPPLY ORDER : Not Mentioned
12. STATUS OF RC HOLDING : SSI Unit
 FIRM
13. REGISTRATION STATUS : Manufacturer is Registered with DTIC,Bilaspur EM No. 220071100202 (Part-II) dated 17.09.2008
14. BIS LICENSE : Manufacturer is having BIS License for CML No. 8630073 validity 01.03.2009 to 28.02.2010
15. PAYING AUTHORITY : As Mentioned in supply order to be issued by Direct Demanding Officer (DDOs).
16. PAYMENT TERMS : The payment of full 100% of prices of the stores of each Consignment there of will be made after receipt and acceptance of the stores by the consignee/interim consignee in full and good condition. Within 20 days as per SPR rule No.11, if the bills are in order. In case of delay in payment without any reason the department will be liable to pay interest prevailing as per Bank rate. Bills are to be submitted in the prescribed form of the paying authority of purchaser / indenter and are to be supported with inspection note issued by the inspector and consignee's Receipt Certificate .
17. INSPECTION AUTHORITY : ADG(QA) Director General of Supplies and Disposals, New Delhi OR Other Approved Government Agency in accordance with the demand of concerned department.

(S.K. Sonwani)
 Incharge Marketing-I
 For and on behalf of the purchaser
 named in CSIDC Form No. 2

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/CE&C/1842 Dated : 22.02.2010

18. OFFICER QUALITY ASSURANCE : Dy. Director (QA), DGS&D, 60, Old Administrative Building, Bhilai Steel Plant, Bhilai, Distt. Durg, Chhattisgarh Or Other Approved Government Agency in accordance with the demand of concerned department.
19. PLACE WHERE THE STORES ARE TO BE OFFERED FOR INSPECTION : At Manufacturer's Factory at M/s Choudhary Electronics & Co., Shiv Talkies Chowk, Bilaspur (C.G.)
20. INSPECTION CHARGES : 0.60% Inspection charges (0.60% + Service Tax as applicable) to be paid extra at the time of inspection to Quality Assurance Officer which will be billed by the unit along with bill of the material and will be reimbursed by the paying authority of DDO.
21. SECURITY DEPOSIT : As per General Conditions of Contract, CSIDC Form No. 1, Clause 7, the Purchaser / DDOs may require the contractor to furnish a security deposit which shall be made after issue of the acceptance of the supply order within the period specified by the purchaser / DDOs . Such security deposit shall not Ordinarily exceed 3% . The security shall be in form of Demand Drafts / Fixed Deposit issued by any of the Scheduled Commercial Banks.
22. SPECIAL NOTE : **1. Purchasing departments will ensure pre dispatch inspection of supplied materials.**
- 2. Purchasing departments will be responsible for ensuring the quality of accepted materials.**

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Annexure - "A"**Technical Particular For ISI Marked Submersible Pump****Schedule -2 : ISI Marked Submersible Pumpset suitable for 100 mm Bore size**

Specification:

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 100 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Material of Impellers: Glass filled Pilyphenylene Oxide (Modified PPO) or glass filled polycarbonate

P004035	60	100
P004042	70	100
P004049	80	100
P004054	90	100
P004060	100	120

Schedule -3 : ISI Marked Submersible Pumpset suitable for 150 mm Bore size

Specification:

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Descharge.

Material of Impellers: Bronze Grade LTB of IS 318: 1981 (RE 2001) Amd 2.

P004067	60	150
P004068	60	200
P004081	70	150
P004082	70	200
P004093	80	150
P004094	80	200
P004096	80	300
P004105	90	150
P004106	90	200
P004116	100	150
P004117	100	200
P004121	110	150
P004122	110	200
P004126	120	150
P004127	120	200

(M.A. Ansari)
Incharge PS-IV

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/CE&C/1842 Dated : 22.02.2010

Schedule -4 : ISI Marked Submersible Pumpset suitable for 150 mm Bore size**Specification:**

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Material of Impellers: stainless Steel Grade 12 Cr 13 IS 1570: 1985 Part 5 (RE2004).

P004142	60	150
P004143	60	200
P004156	70	150
P004157	70	200
P004168	80	150
P004169	80	200
P004171	80	300
P004180	90	150
P004181	90	200
P004191	100	150
P004192	100	200
P004196	110	150
P004197	110	200
P004201	120	150
P004202	120	200

Schedule -5 : ISI Marked Submersible Pumpset suitable for 150 mm Bore size**Specification:**

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Material of Impellers: Glass Filled Polyphenylene Oxide (Modified PPO) Or glass filled Polycarbonate.

P004217	60	150
P004218	60	200
P004232	70	150
P004233	70	200
P004244	80	150
P004245	80	200
P004256	90	150
P004257	90	200
P004268	100	200
P004272	110	150
P004273	110	200
P004277	120	150
P004278	120	200

(M.A. Ansari)
Incharge PS-IV

Schedule -7 : ISI Marked Submersible Pumpset suitable for 100 mm Bore size (Single Phase)**Specification:**

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 100 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 215v to 240 v+/-6%, Single phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Material of Impellers: Glass Filled Polyphenylene Oxide (Modified PPO) Or glass filled Polycarbonate.

P004325	60	40
P004327	60	60
P004329	60	100
P004332	70	40
P004334	70	60
P004338	80	40
P004340	80	60
P004345	90	40

(M.A. Ansari)
Incharge PS-IV

General technical Requirements:

1. Submersible Pumps shall be supplied with :

i) Non return Valve fitted at pump delivery

ii) Discharge casing (Integral or separate)

iii) Submersible cable with copper conductor of suitable size of minimum 3mtrs external length with suitable guard. The cable shall be PVC insulated and PVC sheathed, weather proof THREE CORE., flat type to IS: 694/ 1990 with admit. NO. 1 & 2 (The size of the conductor shall be suitably selected so that the voltage drop at motor terminal does not exceed 3% of the rated voltage with 15 mtrs. Extended length of the cable).

iv) M.S. clamps: two number4s of M.S. clamps, suitable for Submersible Pumps of 150 mm diameter tube wills, made from 10 mm thick M.S. plate of 50 mm width, with suitable length and with suitable drill holes on each side along with suitable nuts/bolts/washers.

2. The Motor Stator of Submersible Pump sets shall be easily rewirable. It shall. It shall be possible to rewind the motor with ready made pre-tested coils.

3. The stator body shall be rigidly fitted and welded on the stamping assembly of to prevent any rotation or shifting of stampings. Stator or bearing housings shall not have threaded joints and shall be located by side fit and held together by suitable bolts.

4. The rotating elements of the Pump and motor shall be dynamically balanced at high speed. The manufacturer shall have the facilities for dynamic balancing at high speed. Details in this regard shall be enclosed with the tender.

SCHEDULE 'B'
(SPECIAL CONDITIONS OF CONTRACT)
ISI MARKED SUBMERSIBLE PUMP

Special Condition where they differ from the General Conditions Override the latter.

-: Nil :-

(M.A. Ansari)
Incharge PS-IV

SCHEDULE - C**LIST FOR RATE CONTRACT FOR
ISI MARKED SUBMERSIBLE PUMP**

S.No.	Name and Address of Firm	Rate Contract No.
1	M/s. ASSOCIATE ENTERPRISES, Ward No.28, Ganj Line, Rajnandgaon Mob.9827174578	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/AE/1838 Dated : 22.02.2010
2	M/s. SHRIVA PUMPS PVT. LTD. CHANDRAKHURI ROAD, MANDIR HASAUD, RAIPUR (C.G.) Mob.No.957588885	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/SPPL/1839 Dated : 22.02.2010
3	M/s. Vikrant Submersible Pumps Pvt. Ltd., Plot No.421 E & F. Sector-A,Urla Industrial Area, Raipur (C.G) Mob.No.9406250912	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/VSP/1840 Dated : 22.02.2010
4	M/s. Gupta Agro Impliments, Office : Sharan Complex, Opp. Deshbandhu English School, Nahar Para, Station Road, Raipur Mob.9630000400,0771-2880088	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/GAI/1841 Dated : 22.02.2010
5	M/s Choudhary Electronics & Co., Shiv Talkies Chowk, Bilaspur (C.G.) Mob.No.-9755821594,9826810636	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/CE&C/1842 Dated : 22.02.2010
6	M/s. Majhi Sales Corporation , Sonarpara, Raigarh Mob.no.9425572386	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/MS/43 Dated : 22.02.2010

(M.A. Ansari)
Incharge PS-IV

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/CE&C/1842

Dated : 22.02.2010

SCHEDULE – D**FORMAT FOR QUATERLY DRAWAL REPORT**

Name of the Firm _____ Jan-Mar Report No. _____
 Apr-June
 Rate Contract No. _____ July-Sept. Date of Submission _____
 Oct - Dec

Total Position of Order against Rate Contract till the submission of Report.

Sno.	Name of Department	Quantity and Value of Orders Received (Rs.)	Quantity and Value of Orders Executed (Rs.)	Balance Quantity and Value to be Supplied (Rs.)	Reasons

Foot 1. Value indicate should be a) Value of orders received during the quarter-Rs.
 Total value inclusive of all b) Value of orders supplied during the quarter-Rs.
 Taxes duties and incidental
 Charges

2. Nil report should also be Submitted.

(S.K. Sonwani)
 Incharge Marketing-I
 For and on behalf of the purchaser
 named in CSIDC Form No. 2



Chhattisgarh State Industrial Development Corporation Limited

(A Government of Chhattisgarh Undertaking)

LIC Campus, Pandri Raipur 492 004 (C.G)

Phone 91-771-2583789-90, Fax : 91-771-2583794, 4091879

Website: www.csidc.in, Email : csidc.cg@nic.in, csidc_raipur@yahoo.com

No./CSIDC/MKD/PS-IV/2009-10/

Raipur, Dated :

Registered A/D

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/MS/1843

Dated : 22.02.2010

To ,

M/s. Majhi Sales Corporation ,
Sonarpara, Raigarh
Mob.no.9425572386

FOR OFFICE USE ONLY

Sub :- Rate Contract for the supply of **ISI Marked Submersible Pump Valid from 22.02.2010 to 21.02.2011**

Ref :- (I) This Office Tender Enquiry No. MKD/PS-IV/E-110/09-10 .

(II) Bid No. 3145 submitted by you Dated 30.09.2009 and subsequent letter lasting with letter of even no. Nil dated 19.02.2010 and undertaking submitted by you on the same date.

Dear Sir,

You are hereby informed that your above referred tender read with subsequent letters mentioned above for the Stores specified in the Schedules annexed has been accepted. This rate contract will be governed by the terms and conditions brought in CSIDC Form No.1 & 2 . The Rate Contract and the Schedules annexed hereto shall be the sole repository of this Rate Contract / Transaction .

You are required to show the original **INK-SIGNED** subject Rate Contract to the satisfaction of Direct Demanding Officer who will place the supply order as per instructions contained in CSIDC form No. 2 and also to the Quality Assurance Officer for inspection purpose and to the paying authority at the time of getting the payment .

SCHEDULES ANNEXED :

1. Schedule "A" Description of Stores, Prices, Duties/Taxes .
2. Annexure -"A" Technical Particulars of **ISI Marked Submersible Pump**
3. Schedule "B" Special conditions of contract (if any)
4. Schedule "C" Information to DDOs about parallel rate contracts .
5. Schedule "D" Format for Drawal Report.

Yours faithfully,

(S.K. Sonwani)

Incharge Marketing-I

For and on behalf of the purchaser
named in CSIDC Form No. 2

Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/MS/1843

Copy To,

1. Secretary, Chhattisgarh Vidhan Sabha ,Raipur .
- 2.. Registrar, Honourable High court Chhattisgarh, Bilaspur .
3. Accountant General Chhattisgarh State .
4. All HODs of Chhattisgarh Govt. with request to circulate the copy of R/C to all Authorized officers to operate R/C as Direct Demanding Officer **& you are requested to send the purchase order copy by registered mail to this office.**
5. All Collectors ,Chhattisgarh State .
6. The Engineer IN-Chief, PHED/ PWD/WRD, Raipur (C.G.)
7. Director Treasury with request to circulate copy of R/C to all branches under your control .
8. **Dy. Director (Q.A.), DGS&D, 1st floor jawahar Sawmill compound Sahrangpur gate Ahmadabad** , /PDIL, Usha Kiran, Flat No.6A, 12 A, Camac Street, Kolkata.W.B..
 - They are requested to call for original INK-SIGNED Rate Contract for verification to their full satisfaction including validity of various documents like Registration, Tax Registration and Valid BIS etc. before taking action i.e. Release of Supply order, inspection of stores, payment of bill whichever is applicable, as the responsibility rests with the concerned authority . **You are requested to send the Inspection Report to this office.**
9. Manager (A/c) ,CSIDC (Mkt. Division). He is requested to maintain a master file of Rate Contract .
10. Computer cell Marketing Division, CSIDC Ltd. Raipur to release Rate Contract on CSIDC website.
11. Main file of **ISI Marked Submersible Pump**

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

SCHEDULE ' A 'For the supply of **ISI Marked Submersible Pump** as per annexure ' A ' enclosed.

1. (a) NAME AND FULL ADDRESS OF :- FIRM M/s. Majhi Sales Corporation
Sonarpara, Raigarh
Mob.no.9425572386
- (b) NAME AND FULL ADDRESS OF :- MANUFACTURER Ms./Jasco Pumps Pvt ltd
47, Phase -1 GIDC Industrial Estate Naroda
Ahmedabad
2. VALIDITY OF RATE CONTRACT **From 22.02.2010 to 21.02.2011**
3. DESCRIPTION OF ITEM, **ISI Marked Submersible Pump** SPECIFICATION, UNIT RATE

S.No.	Item Code	Item Description		Rate ED & VAT Extra FOR Desti. Rs.
		Head in meter	Discharge in LPM	
Schedule-3 Submersible Pump set for 150 mm bore size (Bronze Grade LTB of IS 318:1981 (RE 2001) amt-2, 3 phase, 415V				
1	P004090	70	600	24486.00
2	P004094	80	200	19380.00
Schedule-4 Submersible Pump set for 150 mm bore size (Steel Grade 12 Cr 13 IS 1570:1985 Part 5 (RE 2004) 3 phase, 415V				
3	P004165	70	600	23703.00
4	P004169	80	200	19380.00
Schedule-5 Submersible Pump set for 150 mm bore size (Glass filled polloyphnylene Oxide(Modifide PPO) 3 phase, 415V				
5	P004241	70	600	22575.00
6	P004245	80	200	19380.00

Note:-Technical particulars as per Annexure A enclosed.

4. TERMS OF DELIVERY : F. O. R Destination (Any where in C.G. State)
5. EXCISE DUTY : Extra as applicable at the time of Delivery
6. SALES TAX/VAT : VAT Extra as applicable. At the time of supply
TIN No. 22454901581
7. DELIVERY PERIOD : 45 Days

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

8. a. ANNUAL TURN OVER/ : NM
- b. MONETARY LIMIT : N.A.
- c. INSTALLED CAPACITY : 500 Nos.Per Month
9. SLAB DISCOUNT(IF ANY): Nil
10. PRICES : Prices are Firm and Final
11. MINIMUM QUANTITY IN SINGLE SUPPLY ORDER : Not Mentioned
12. STATUS OF RC HOLDING : SSI Unit
FIRM
13. REGISTRATION STATUS : Manufacturer is Registered with. NSIC Ahamadabad
No. NSIC/GP/RS/PMT/GUJ/J-106/2008-09/A-90
Dated 13.03.2009
14. BIS LICENSE : Manufacturer is having BIS License for CML No.
7554280 Validity 06.02.2009 to 31.05.2010
15. PAYING AUTHORITY : As Mentioned in supply order to be issued by Direct
Demanding Officer (DDOs).
16. PAYMENT TERMS : The payment of full 100% of prices of the stores of each
Consignment there of will be made after receipt and
acceptance of the stores by the consignee/interim consignee
in full and good condition. Within 20 days as per SPR rule
No.11, if the bills are in order. In case of delay in payment
without any reason the department will be liable to pay
interest prevailing as per Bank rate. Bills are to be submitted
in the prescribed form of the paying authority of purchaser /
indenter and are to be supported with inspection note issued
by the inspector and consignee's Receipt Certificate .
17. INSPECTION AUTHORITY : ADG(QA) Director General of Supplies and
Disposals, New Delhi OR Other Approved Government
Agency in accordance with the demand of concerned
department.

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

18. OFFICER QUALITY ASSURANCE : Dy. Director (QA), DGS&D Ahmedabad
Or Other Approved Government Agency in accordance with the demand of concerned department.
19. PLACE WHERE THE STORES ARE TO BE OFFERED FOR INSPECTION : At Manufacturer's Factory at
Ms/.Jasco Pumps Pvt ltd
47, Phase -1 GIDC Industrial Estate Naroda
Ahmedabad
20. INSPECTION CHARGES : 0.60% Inspection charges (0.60% + Service Tax as applicable) to be paid extra at the time of inspection to Quality Assurance Officer which will be billed by the unit along with bill of the material and will be reimbursed by the paying authority of DDO.
21. SECURITY DEPOSIT : As per General Conditions of Contract, CSIDC Form No. 1, Clause 7, the Purchaser / DDOs may require the contractor to furnish a security deposit which shall be made after issue of the acceptance of the supply order within the period specified by the purchaser / DDOs . Such security deposit shall not Ordinarily exceed 3% . The security shall be in form of Demand Drafts / Fixed Deposit issued by any of the Scheduled Commercial Banks.
22. SPECIAL NOTE : **1. Purchasing departments will ensure pre dispatch inspection of supplied materials.**
2. Purchasing departments will be responsible for ensuring the quality of accepted materials.

(S.K. Sonwani)
Incharge Marketing-I
For and on behalf of the purchaser
named in CSIDC Form No. 2

Annexure - "A"
Technical Particular For ISI Marked Submersible Pump

Schedule -3 : ISI Marked Submersible Pumpset suitable for 150 mm Bore size

Specification:

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Descharge.

Material of Impellers: Bronze Grade LTB of IS 318: 1981 (RE 2001) Amd 2.

P004090	70	600
P004094	80	200

Schedule -4 : ISI Marked Submersible Pumpset suitable for 150 mm Bore size

Specification:

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Descharge.

Material of Impellers: stainless Steel Grade 12 Cr 13 IS 1570: 1985 Part 5 (RE2004).

P004165	70	600
P004169	80	200

Schedule -5 : ISI Marked Submersible Pumpset suitable for 150 mm Bore size

Specification:

ISI marked ISI Marked Submersible Pumpsets to IS: 8034:2002 with Amdt. No:- 1, Suitable for bore size 150 mm, for use in bore wells for handling Clear cold water having motor to IS: 9283:1995 with amdt. 1& 2 of wet type for continuous rating operatin at 3000 rpm synchronous, suitable for 415v+/-6%, 3 phase AC Supply & specs as under general Technical Requirements & with following head and Discharge.

Materil of Impellers: Glass Filled Polyphenylene Oxide (Modified PPO) Or glass filled Polycarbonate.

P004241	70	600
P004245	80	200

(M.A. Ansari)
Incharge PS-IV

General technical Requirements:

1. Submersible Pumps shall be supplied with :
 - i) Non return Valve fitted at pump delivery
 - ii) Discharge casing (Integral or separate)
 - iii) Submersible cable with copper conductor of suitable size of minimum 3mtrs external length with suitable guard. The cable shall be PVC insulated and PVC sheathed, weather proof THREE CORE., flat type to IS: 694/ 1990 with admit. NO. 1 & 2 (The size of the conductor shall be suitably selected so that the voltage drop at motor terminal does not exceed 3% of the rated voltage with 15 mtrs. Extended length of the cable).
 - iv) M.S. clamps: two number4s of M.S. clamps, suitable for Submersible Pumps of 150 mm diameter tube wills, made from 10 mm thick M.S. plate of 50 mm width, with suitable length and with suitable drill holes on each side along with suitable nuts/bolts/washers.
2. The Motor Stator of Submersible Pump sets shall be easily rewirable. It shall. It shall be possible to rewind the motor with ready made pre-tested coils.
3. The stator body shall be rigidly fitted and welded on the stamping assembly of to prevent any rotation or shifting of stampings. Stator or bearing housings shall not have threaded joints and shall be located by side fit and held together by suitable bolts.
4. The rotating elements of the Pump and motor shall be dynamically balanced at high speed. The manufacturer shall have the facilities for dynamic balancing at high speed. Details in this regard shall be enclosed with the tender.

SCHEDULE 'B'
(SPECIAL CONDITIONS OF CONTRACT)
ISI MARKED SUBMERSIBLE PUMP

Special Condition where they differ from the General Conditions Override the latter.

-: Nil :-

(M.A. Ansari)
Incharge PS-IV

SCHEDULE - C**LIST FOR RATE CONTRACT FOR
ISI MARKED SUBMERSIBLE PUMP**

S.No.	Name and Address of Firm	Rate Contract No.
1	M/s. ASSOCIATE ENTERPRISES, Ward No.28, Ganj Line, Rajnandgaon Mob.9827174578	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/AE/1838 Dated : 22.02.2010
2	M/s. SHRIVA PUMPS PVT. LTD. CHANDRAKHURI ROAD, MANDIR HASAUD, RAIPUR (C.G.) Mob.No.9575888885	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/SPPL/1839 Dated : 22.02.2010
3	M/s. Vikrant Submersible Pumps Pvt. Ltd., Plot No.421 E & F. Sector-A,Urla Industrial Area, Raipur (C.G) Mob.No.9406250912	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/VSP/1840 Dated : 22.02.2010
4	M/s. Gupta Agro Impliments, Office : Sharan Complex, Opp. Deshbandhu English School, Nahar Para, Station Road, Raipur Mob.9630000400,0771-2880088	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/GAI/1841 Dated : 22.02.2010
5	M/s Choudhary Electronics & Co., Shiv Talkies Chowk, Bilaspur (C.G.) Mob.No.-9755821594,9826810636	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/CE&C/1842 Dated : 22.02.2010
6	M/s. Majhi Sales Corporation , Sonarpara, Raigarh Mob.no.9425572386	Rate Contract No. MKD/PS-IV/E-110/09-10 /SP/MSC/43 Dated : 22.02.2010

(M.A. Ansari)
Incharge PS-IV

SCHEDULE – D**FORMAT FOR QUATERLY DRAWAL REPORT**

Name of the Firm _____ Jan-Mar Report No. _____
 Apr-June
 Rate Contract No. _____ July-Sept. Date of Submission _____
 Oct - Dec

Total Position of Order against Rate Contract till the submission of Report.

Sno.	Name of Department	Quantity and Value of Orders Received (Rs.)	Quantity and Value of Orders Executed (Rs.)	Balance Quantity and Value to be Supplied (Rs.)	Reasons

Foot 1. Value indicate should be a) Value of orders received during the quarter-Rs.
 Total value inclusive of all b) Value of orders supplied during the quarter-Rs.
 Taxes duties and incidental
 Charges

2. Nil report should also be Submitted.

(S.K. Sonwani)
 Incharge Marketing-I
 For and on behalf of the purchaser
 named in CSIDC Form No. 2